1998 INDEX

.spcs **4**, 25
100BaseT **4**, 115
1994 AT&T Network Systems Quality Team Excellence Award, **2**, 3
1A switch **4**, 98
1B processor **2**, 36, 39
3B20 processor **2**, 36
3G *see* Third generation
4ESS™ switch **2**, 32, 33, 36-39, 43, 46
5ESS® Switch Coding Fault Prevention Team **2**, 3, 5-7, 19-20
5ESS® switch software: Asset Implementation Manager **3**, 15; Call Accounting Language **3**, 15; Domain-Engineered Configuration Control **3**, 15; Hardware-Software Interface Designer **3**, 15
5ESS® switch system software, **2**, 3-21
5ESS® switch: general **2**, 109, 120 **3**, 4 **4**, 88, 90-91, 97, 120; implementation as a broadband interworking gateway (BBIG) **2**, 93, 102-107; overview of architecture **2**, 104
5ESS® Switching Development organization **2**, 3, 7, 19, 21
5ESS® switching system software, fault prevention approach: *Coding Fault Prevention Guidelines, The* **2**, 7; conclusions **2**, 20-21; countermeasures for improvement **2**, 6-7; development process analysis **2**, 3-5; interface faults **2**, 11-15; introduction **2**, 3; logic faults **2**, 7-11; maintainability faults **2**, 15-19; measurement metrics **2**, 19-20; results of implementing countermeasures **2**, 20; root cause analysis **2**, 5-6
5ESS® switching system software, major coding faults: logic **2**, 4, 7-11; interface **2**, 4, 11-15; maintainability **2**, 4, 15-19
5ESS® switching system, advanced **2**, 3-21
5ESS®-2000 switch **4**, 185, 186
800/Freephone **4**, 124
9-1-1 wireless service **2**, 24

A

A Comparison of Next-Generation IP-Centric Transport Architectures, **4**, 8, 63-85
A/D converter *see* Analog-to-digital converter
AAG *see* Audio Message Interface Specification (AMIS) Analog Gateway
AAL *see* ATM adaptation layer
AAL-2: sublayers of **4**, 183
ABS *see* Acrylonitrile-butadiene-styrene
AC-120 *see* Access Concentrator 120
Accelerated testing **3**, 52-60
Access Concentrator (AC)-60/AC-120 switches **4**, 189, 190
Access Concentrator 120 (AC-120) **4**, 186
Access network design **4**, 260
Access switch (AS) **4**, 109
ACID *see* Atomicity, consistency, isolation, and durability
ACM *see* Address complete message
Acoustic echo canceler (AEC) **3**, 148
Acrylonitrile-butadiene-styrene **3**, 160
ACS *see* Asynchronous transfer mode (ATM) core switch
ACTIVIEW® telecommunications products **2**, 24-26, 29-31
ACTS *see* Advanced Communications Technologies and Services
Ada **2**, 44
Adaptive algorithm **3**, 151
Adaptive applications: analytical models **2**, 82-85; application specification **2**, 79-82; computing terminal QoS **2**, 85-86; general **2**, 76-92
Adaptive differential pulse-code modulation **1**, 20-27 **2**, 81 **3**, 154 **4**, 107
Add/drop multiplexing **1**, 40, 81, 83
Additive white Gaussian noise (AWGN) channel **3**, 77
Address complete message (ACM) **4**, 111
Address resolution protocol (ARP) **4**, 43
ADEPT *see* Advanced Database Environment for Planning and Tracking
ADEPT—The Advanced Database Environment for Planning and Tracking **3**, 3-9
ADM *see* Add/drop multiplexer
Administrative module (AM) **2**, 103-104
Administrative weight (AW) **4**, 246
ADPCM *see* Adaptive differential pulse-code modulation
ADSL *see* Asymmetric digital subscriber line
Advanced Communications Technologies and Services **3**, 111
Advanced Database Environment for Planning and Tracking **3**, 3-9
Advanced intelligent network **4**, 186
Advanced Mobile Phone Service **3**, 79-80, 84-85
Advanced Mobile Phone Service cellular telephone **2**, 60, 63
Advanced Mobile Phone System **3**, 63
Advanced network services (ANS) **4**, 117
Advanced telephony services, Internet **4**, 144-160
AEC *see* Acoustic echo canceler
AG Communication Systems **1**, 134-143
Agents, application **2**, 124, 129
Aggregate route-based switching, IBM **4**, 232
AIM *see* Asset Implementation Manager
AIN 0.1, AIN 0.2 **4**, 126
AIN *see* Advanced intelligent network
Algorithm, adaptive **3**, 151; two-channel affine projection **3**, 153
Algorithm, Dijkstra shortest path first **4**, 251
Al-Salameh, Daniel Y. **1**, 39-61
American National Standards Institute (ANSI)-41 **1**, 36-37 **3**, 64
American Standard Code for Information Interchange **2**, 130 **3**, 3 **4**, 25
AMI *see* Application module interface
AMIS Analog Gateway (AAG) **2**, 126, 130, 131
AMIS *see* Audio Message Interface Specification
Amplified velocity difference **3**, 171
AMPS *see* Advanced Mobile Phone Service or Advanced Mobile Phone System
Analog-to-digital converter **2**, 137
Analysis of voice and multiservice network designs **4**, 264
Analysis: cost, performance, sensitivity **4**, 257, 260
Anderl, Ewald C. **2**, 124-135
Andrews, Matthew **3**, 30-49
ANS *see* Advanced network services and answer message
ANSI *see* American National Standards Institute
Answer message (ANS) **4**, 111
AnyMedia™ products **4**, 90
APack Technologies **3**, 123
API *see* Application programming interface
Appletalk* protocol **4**, 164
Application agents **2**, 124, 129
Application engineering **3**, 10-14
Application module interface (AMI) **1**, 125
Application programming interface **2**, 130
Application programming interface, graphical: Direct3D* **2**, 51; Java3D **2**, 52-53, 56; OpenGL* **2**, 51-53, 56; virtual reality modeling language (VRML) **2**, 51-52, 56; X/Motif* **2**, 51
Application services **3**, 102
Applications, cross-connect **1**, 86
Applications, DEFINITY® Wireless Business System (DWBS): general, **1**, 25; vertical **1**, 26
Application-specific integrated circuit (ASIC) **2**, 137 **3**, 120-121
ArchE editor, used to evaluate behavioral specifications captured in message sequence charts **3**, 127-128
Architecture specification technique: architectural elements **3**, 128; architecture template **3**, 129; building blocks **3**, 128; clusters **3**, 128; components **3**, 128; contracts **3**, 129; description language **3**, 126; general **3**, 125-137; interfaces **3**, 128; scenario template **3**, 129
Architecture, network: ATM **4**, 261; general, **4**, 257; IP **4**, 262; packet **4**, 261; TDM **4**, 261
Architecture, scalable **3**, 105

1998 INDEX

.spcs **4**, 25
100BaseT **4**, 115
1994 AT&T Network Systems Quality Team Excellence Award, **2**, 3
1A switch **4**, 98
1B processor **2**, 36, 39
3B20 processor **2**, 36
3G *see* Third generation
4ESS™ switch **2**, 32, 33, 36-39, 43, 46
5ESS® Switch Coding Fault Prevention Team **2**, 3, 5-7, 19-20
5ESS® switch software: Asset Implementation Manager **3**, 15; Call Accounting Language **3**, 15; Domain-Engineered Configuration Control **3**, 15; Hardware-Software Interface Designer **3**, 15
5ESS® switch system software, **2**, 3-21
5ESS® switch: general **2**, 109, 120 **3**, 4 **4**, 88, 90-91, 97, 120; implementation as a broadband interworking gateway (BBIG) **2**, 93, 102-107; overview of architecture **2**, 104
5ESS® Switching Development organization **2**, 3, 7, 19, 21
5ESS® switching system software, fault prevention approach: *Coding Fault Prevention Guidelines, The* **2**, 7; conclusions **2**, 20-21; countermeasures for improvement **2**, 6-7; development process analysis **2**, 3-5; interface faults **2**, 11-15; introduction **2**, 3; logic faults **2**, 7-11; maintainability faults **2**, 15-19; measurement metrics **2**, 19-20; results of implementing countermeasures **2**, 20; root cause analysis **2**, 5-6
5ESS® switching system software, major coding faults: logic **2**, 4, 7-11; interface **2**, 4, 11-15; maintainability **2**, 4, 15-19
5ESS® switching system, advanced **2**, 3-21
5ESS®-2000 switch **4**, 185, 186
800/Freephone **4**, 124
9-1-1 wireless service **2**, 24

A

A Comparison of Next-Generation IP-Centric Transport Architectures, **4**, 8, 63-85
A/D converter *see* Analog-to-digital converter
AAG *see* Audio Message Interface Specification (AMIS) Analog Gateway
AAL *see* ATM adaptation layer
AAL-2: sublayers of **4**, 183
ABS *see* Acrylonitrile-butadiene-styrene
AC-120 *see* Access Concentrator 120
Accelerated testing **3**, 52-60
Access Concentrator (AC)-60/AC-120 switches **4**, 189, 190
Access Concentrator 120 (AC-120) **4**, 186
Access network design **4**, 260
Access switch (AS) **4**, 109
ACID *see* Atomicity, consistency, isolation, and durability
ACM *see* Address complete message
Acoustic echo canceler (AEC) **3**, 148
Acrylonitrile-butadiene-styrene **3**, 160
ACS *see* Asynchronous transfer mode (ATM) core switch
ACTIVIEW® telecommunications products **2**, 24-26, 29-31
ACTS *see* Advanced Communications Technologies and Services
Ada **2**, 44
Adaptive algorithm **3**, 151
Adaptive applications: analytical models **2**, 82-85; application specification **2**, 79-82; computing terminal QoS **2**, 85-86; general **2**, 76-92
Adaptive differential pulse-code modulation **1**, 20-27 **2**, 81 **3**, 154 **4**, 107
Add/drop multiplexing **1**, 40, 81, 83
Additive white Gaussian noise (AWGN) channel **3**, 77
Address complete message (ACM) **4**, 111
Address resolution protocol (ARP) **4**, 43
ADEPT *see* Advanced Database Environment for Planning and Tracking
ADEPT—The Advanced Database Environment for Planning and Tracking **3**, 3-9
ADM *see* Add/drop multiplexer
Administrative module (AM) **2**, 103-104
Administrative weight (AW) **4**, 246
ADPCM *see* Adaptive differential pulse-code modulation
ADSL *see* Asymmetric digital subscriber line
Advanced Communications Technologies and Services **3**, 111
Advanced Database Environment for Planning and Tracking **3**, 3-9
Advanced intelligent network **4**, 186
Advanced Mobile Phone Service **3**, 79-80, 84-85
Advanced Mobile Phone Service cellular telephone **2**, 60, 63
Advanced Mobile Phone System **3**, 63
Advanced network services (ANS) **4**, 117
Advanced telephony services, Internet **4**, 144-160
AEC *see* Acoustic echo canceler
AG Communication Systems **1**, 134-143
Agents, application **2**, 124, 129
Aggregate route-based switching, IBM **4**, 232
AIM *see* Asset Implementation Manager
AIN 0.1, AIN 0.2 **4**, 126
AIN *see* Advanced intelligent network
Algorithm, adaptive **3**, 151; two-channel affine projection **3**, 153
Algorithm, Dijkstra shortest path first **4**, 251
Al-Salameh, Daniel Y. **1**, 39-61
American National Standards Institute (ANSI)-41 **1**, 36-37 **3**, 64
American Standard Code for Information Interchange **2**, 130 **3**, 3 **4**, 25
AMI *see* Application module interface
AMIS Analog Gateway (AAG) **2**, 126, 130, 131
AMIS *see* Audio Message Interface Specification
Amplified velocity difference **3**, 171
AMPS *see* Advanced Mobile Phone Service or Advanced Mobile Phone System
Analog-to-digital converter **2**, 137
Analysis of voice and multiservice network designs **4**, 264
Analysis: cost, performance, sensitivity **4**, 257, 260
Anderl, Ewald C. **2**, 124-135
Andrews, Matthew **3**, 30-49
ANS *see* Advanced network services and answer message
ANSI *see* American National Standards Institute
Answer message (ANS) **4**, 111
AnyMedia™ products **4**, 90
APack Technologies **3**, 123
API *see* Application programming interface
Appletalk* protocol **4**, 164
Application agents **2**, 124, 129
Application engineering **3**, 10-14
Application module interface (AMI) **1**, 125
Application programming interface **2**, 130
Application programming interface, graphical: Direct3D* **2**, 51; Java3D **2**, 52-53, 56; OpenGL* **2**, 51-53, 56; virtual reality modeling language (VRML) **2**, 51-52, 56; X/Motif* **2**, 51
Application services **3**, 102
Applications, cross-connect **1**, 86
Applications, DEFINITY® Wireless Business System (DWBS): general, **1**, 25; vertical **1**, 26
Application-specific integrated circuit (ASIC) **2**, 137 **3**, 120-121
ArchE editor, used to evaluate behavioral specifications captured in message sequence charts **3**, 127-128
Architecture specification technique: architectural elements **3**, 128; architecture template **3**, 129; building blocks **3**, 128; clusters **3**, 128; components **3**, 128; contracts **3**, 129; description language **3**, 126; general **3**, 125-137; interfaces **3**, 128; scenario template **3**, 129
Architecture, network: ATM **4**, 261; general, **4**, 257; IP **4**, 262; packet **4**, 261; TDM **4**, 261
Architecture, scalable **3**, 105

Architecture: metropolitan area network **1**, 50; path-in-lambda **1**, 52
Architecture-based software system construction **3**, 125-137
Ardis, Mark A. **3**, 10-20
ARIB *see* Association of Radio Industries and Businesses
ARP *see* Address resolution protocol
ARQ *see* Automatic repeat request
Arrhenius model **3**, 53-59
AS *see* Access switch
AsaP **2**, 76, 87, 90
ASCII *see* American Standard Code for Information Interchange
Asia/Pacific region **2**, 111
ASM *see* Asynchronous transfer mode (ATM) service multiplexer
ASPECT *see* Architecture specification technique
Assertion violations **2**, 34
Asset Implementation Manager **3**, 15
Association of Radio Industries and Businesses (ARIB) **3**, 63, 67
Asymmetric digital subscriber line (ADSL) **4**, 40, 63
Asynchronous transfer mode (ATM) **2**, 93-108, 137 **3**, 100, 119 **4**, 34, 38-39, 42-45, 63-66, 68, 74-84, 103,106, 129, 161, 163, 166-175, 176, 192, 240, 241, 255
Asynchronous transfer mode core switch (ACS), GlobeView®-2000 **1**, 94-111
Asynchronous transfer mode (ATM) networks **4**, 222, 225, 227, 299-301, 305-311. 313, 322-323, 325-335
Asynchronous transfer mode service classes: available bit rate **1**, 95-97, 107, 110; constant bit rate **1**, 94-99, 103, 105, 108-109; non-real-time variable bit rate **1**, 94-96, 99, 108-109; real-time variable bit rate **1**, 94-95, 99, 102, 108-109; unspecified bit rate **1**, 95-96, 107-108, 110
Asynchronous transfer mode service multiplexer (ASM): description **1**, 82; functionality **1**, 84
Asynchronous transfer mode switches, scalable call processing architectures **1**, 62-80
Asynchronous transfer mode technology **4**, 212-213, 215, 224, 231, 233
Asynchronous transfer mode: adaptation layer 5 (AAL-5) **1**, 66; address **1**, 73; description **1**, 39; direct optical transport of **1**, 52; embedded transport **1**, 83, 84, 87; hybrid transport **1**, 83; networks **1**, 64; pure transport **1**, 83, 88; scenarios for SDH/SONET networks **1**, 81-93; signaling **1**, 63, 65; switches **1**, 62, 69, 77, 94-111; technology; **1**, 62; traffic, transport options for **1**, 82
AT&T Network Systems, 1994 Quality Team Excellence Award **2**, 3
ATLANTA™ chip set **1**, 77
ATM adaptation layer: carrier applications **4**, 184; general **4**, 107, 177, 255; type 1, type 2 **4**, 182; type 5 **4**, 184
ATM adaptation layers used for voice **4**, 182
ATM Forum **1**, 66 **4**, 179, 235-236, 245
ATM Forum user-to-network interface (ATM UNI) **4**, 107
ATM integration in the PBX **4**, 189
ATM network: architecture **4**, 261; design **4**, 267
ATM PNNI framework in RopeSIM **4**, 245
ATM PNNI routing performance using RopeSIM **4**, 245
ATM Scenarios for SDH/SONET Networks **1**, 81-93
ATM trunking: AAL-1 for narrowband services **4**, 180; AAL-2 for narrowband services **4**, 181
ATMF UNI *see* ATM Forum user-network interface
Atomicity, consistency, isolation, and durability **1**, 3, 5, 8
Audio Display Terminals team **1**, 122
Audio Message Interface Specification (AMIS) **2**, 124-128, 131, 133
AUDIX® system **2**, 124-127, 130, 131, 133
Automatic call distribution **2**, 24, 26
Automatic message accounting **2**, 98
Automatic repeat request (ARQ) **3**, 71
Automatic speech recognition **3**, 176
Available cell rate (AvCR) **4**, 246
AvCR *see* Available cell rate
AW *see* Administrative weight
AWGN *see* Additive white Gaussian noise
awk programs **4**, 265

B

Backbone network design **4**, 260
BAHAMA **1**, 19
BAIU *see* Broadband access interface unit
Balakrishnan, Meera **4**, 11, 222-239
Ball-grid array (BGA) **3**, 122-123
Bandwidth allocation algorithms, dynamic, for high-speed data wireless networks: centralized carrier allocation **3**, 36-38; complexity **3**, 38-39; conclusions **3**, 48; distributed carrier assignment **3**, 34-36; general **3**, 30-49; introduction **3**, 30-32; model description **3**, 32-33; preliminaries **3**, 33-34; simulation experiments **3**, 39-48
Bandwidth allocation approaches for mobile units **3**, 30-31
Bandwidth flexibility **4**, 255
Base station controller (BSC) **3**, 67
Base station interference **3**, 34
Basic rate interface (BRI) **2**, 94 **4**, 129
Battery cells, nickel-metal-hydride **3**, 169-170
Battery pack, Omaha **3**, 169, 173
Batzel, Craig S. **2**, 124-135
Baulier, Gerald D. **1**, 3-18
BB–DACS *see* Broadband–Digital Access and Cross-Connect System
BBIG *see* Broadband interworking gateway
Beacken, Marc J. **3**, 21-29
Bearer channels: general **4**, 127; technologies and standards **4**, 107, 108
Bell Labs **4**, 241, 256
Bell Labs Innovation Briefs **1**, 145-146 **2**, 137-138 **3**, 175-176 **4**, 338–339
Bellcore TR 303 **4**, 136
Benesty, Jacob **3**, 148-158
Benmohamed, Lotfi M. **4**, 273-296
Berkeley Motion Picture Experts Group (MPEG)-1 video encoder **2**, 87
Bernoulli probability **4**, 18
Beryllium oxide **2**, 114
Best in class (BIC) **1**, 124
Best-effort service **4**, 222-223, 228, 297, 314, 318
Best-effort service and multiservice virtual private networks, integration with long distance voice service **4**, 297-337
BGA *see* Ball-grid array
BHCA *see* Busy hour call attempt
B-ICI *see* Broadband ISDN intercarrier interface
Bidirectional line-switched ring **4**, 63
BILLDATS® data server **4**, 95
Binary file **4**, 25
B-ISUP *see* Broadband ISDN services user protocol
Bit rate of the transmission system, increasing **1**, 39
Blocking **2**, 33
Blott, Stephen M. **1**, 3-18
BLSR *see* Bidirectional line-switched ring
Boolean variables **2**, 41
Border gateway protocol (BGP) **4**, 54, 94, 147, 173, 315
Borst, Simon C. **3**, 30-49
Boxes, set-top **3**, 101
Bragg fiber gratings **2**, 137
Bragg gratings **1**, 58
BRI *see* Basic rate interface
Bridging the Gap to IP Telephony **4**, 192-207
Broadband access interface unit **2**, 104
Broadband integrated services digital network (B-ISDN) **1**, 81 **2**, 97 **3**, 68
Broadband integrated services digital network, counterpart to packet-based 3G multimedia **3**, 79, 90, 94-95
Broadband interworking gateway **2**, 93-108
Broadband ISDN intercarrier interface **4**, 108
Broadband ISDN services user protocol **4**, 108
Broadband ISDN signaling protocols **4**, 307
Broadband–Digital Access and Cross-Connect System (BB–DACS) **1**, 87
Buhrke, Rolfe E. **3**, 50-62
Business Communications Systems **1**, 122
Busschbach, Peter B. **4**, 10, 161-175
Busy hour call attempt (BHCA) **4**, 117
Button marking, 8400-series telephones **1**, 126

C

C language **2**, 3, 5, 23, 27
C program files, lint tool **2**, 5
C, C++ programming languages **1**, 10 **2**, 32, 33, 39, 42
C++ language **4**, 25, 244
C++ network base class **2**, 47-56
Cable-based telephony **4**, 136
CAC *see* Connection admission control
CAL *see* Call Accounting Language
Call Accounting Language (CAL) **3**, 15
Call control **1**, 64, 66-70, 72-77, 79
Call detail recording (CDR) **2**, 131
Call flows: for ATM networks **4**, 111; for IP networks **4**, 111
Call management server (CMS) **4**, 137
Call management services **4**, 138
Call processing architectures, scalable, for ATM switches: call processing fundamentals **1**, 64-69; case study **1**, 77-79; centralized call processing architecture **1**, 69-72; conclusions **1**, 79-80; distributed call control processing architecture **1**, 73-75; distributed routing call processing architecture **1**, 75-77; distributed signaling call processing architecture **1**, 72-73; introduction **1**, 62-64
Call processing architectures: distributed call control **1**, 62, 64,73-75; distributed routing **1**, 62, 64; distributed signaling **1**, 62, 64, 72-73, 78
Call processing fundamentals: call control **1**, 66-67; routing **1**, 67-69; signaling **1**, 65-66
Call processing: architectures **1**, 62-80; capacity **1**, 62-63; functions **1**, 63; latency **1**, 72; objective **1**, 78; performance **1**, 69, 78-79; power **1**, 63, 72; tasks **1**, 64, 69, 71-72
Call, type I and type II **4**, 250
Calling name (CNAME) **4**, 126
CAP *see* Competitive access provider
Carrier allocation, dynamic, for mobile units **3**, 30
Carrier-scale internetworking (CSI) **4**, 163, 170-175
Carrier-scale packet telephony **4**, 86-102
CAS *see* Channel associated signaling
Castellation **3**, 167, 173
CAU *see* Cell antenna unit
CBR *see* Constant bit rate
CBS *see* Cost breakdown structure
CCS *see* Common channel signaling
CCS7 *see* Common Channel Signaling 7
CDMA *see* Code division multiple access
cdma2000 radio transmission technology: evolution **3**, 63-68; fast power control **3**, 75-76; forward link design **3**, 72-76; layering structure **3**, 68-71; parallel code-multiplexed channels **3**, 77; pilot-based coherent detection **3**, 77; reverse link design **3**, 76-77; transmission rates and services **3**, 71-72; transmit diversity **3**, 74-75; turbo codes for high-rate transmissions **3**, 77-78
cdma2000: A Third-Generation Radio Transmission Technology **3**, 63-78
cdmaOne* radio transmission technology (RTT) **3**, 63-68, 74-75, 77-78
CDPD *see* Cellular digital packet data
CDR *see* Call detail recording
CDV *see* Cell delay variation
Cell antenna unit (CAU) **1**, 21
Cell delay variation (CDV) **4**, 241
Cell phone prototypes: Falcon and Omaha **3**, 160
Cell transfer delay (CTD) **4**, 241
Cell-switched router, Toshiba **4**, 232
Cellular base stations: active **3**, 36; carrier allocation **3**, 31-48; carrier allocation, heuristic **3**, 38; passive **3**, 36; synchronization **3**, 38
Cellular digital packet data (CDPD) users **2**, 58, 60, 63
Cellular service carriers, allocation to base stations **3**, 33-34
Cellular service carriers, assigning to users **3**, 33-34
Cellular service, distributed carrier assignment: distributed carrier raking **3**, 34-36, 38, 42; distributed carrier requesting **3**, 34-35, 38, 42
Cellular telephones with data services: AT&T PocketNet* telephone **2**, 60; Newton* MessagePad* **2**, 61; Nokia 9000 Communicator **2**, 60, 64-65
Centigram **2**, 134
CENTREX system **1**, 30
CES *see* Circuit Emulation Service
CG *see* Connection gateway
CGCAC *see* Conservative generic call admission control
Chambers, Mahdi S. **4**, 10, 176-191
Changers, electro-optical wavelength **1**, 56
Channel associated signaling **4**, 179
Channels, wavelength **1**, 40
Character, "heartbeat" **1**, 23
Characteristics that enhance end-user experience **3**, 103
Chen, Xiaoqiang **1**, 62-80
Chen, Zheng **4**, 12, 255-272
Chip-scale module (CSM) technology platform: background **3**, 116-118; chip re-routing **3**, 118-119; flip-chip assembly **3**, 119; high-density silicon interconnection **3**, 119; high-density silicon interconnection with integrated high-quality passive components **3**, 119-120; manufacturing infrastructure **3**, 122-124; memory and logic integration **3**, 120-121; radio-frequency integrated circuits and passive component integration **3**, 121-122; solder joints **3**, 119
Chip-Scale Modules for High-Level Integration in the 21st Century **3**, 116-124
CIC *see* Circuit identification code
CIDR *see* Classless interdomain routing
CIF *see* Common Intermediate Format
CIF-to QCIF Bitstream Down-Conversion in the DCT Domain **3**, 21-29
Circuit Emulation Service **4**, 180, 256
Circuit identification code (CIC) **4**, 118
Circuit pack, TN1415 **2**, 120
Circulator, optical **1**, 45
Cisco, tag switching **4**, 232
CIXC *see* Competing IXC
Clamshell housings, method for increasing the rigidity of **3**, 167
Clamshell structures **3**, 160
Class-5 switches **4**, 185
Classical IP (CLIP) over ATM **4**, 169-170
Classless interdomain routing **4**, 38
Clattering **3**, 160
CLEC *see* Competing LEC and competitive local exchange carrier
Client-server databases **1**, 8
CLIP *see* Classical IP over ATM
Closed-loop system **2**, 111
Clusters, *ihgp* and *marconi* **3**, 4
CMIP *see* Common management information protocol
CMS *see* Call management server
CNAME *see* Calling name
CNI *see* Common Network Interface
Coating, four-layer antireflection **1**, 118
Code division multiple access: general **3**, 63-78, 165-166; radio access technology **1**, 30, 35; technology, IS-95 **2**, 58, 63
Code-excited linear prediction **2**, 125
Coding Fault Inspection Checklist **2**, 4, 7
Coding Fault Prevention Guidelines **2**, 3-4, 6-7, 11-15
Coding fault prevention, 5ESS® switching system software **2**, 3-21
Coefficient of thermal expansion **2**, 137
Coffin-Manson relationship **3**, 59
COGs *see* Cost of goods
Combined interchannel intensity and time differences **3**, 151
Commercial tools versus ADEPT **3**, 6
Commodity **2**, 111
Common channel signaling (CCS) **4**, 179
Common Channel Signaling 7 **2**, 36
Common control channel **3**, 38
Common data control (COMDAC) **2**, 104
Common Intermediate Format **3**, 21
Common management information protocol (CMIP) **4**, 209
Common Network Interface (CNI) **2**, 36
Common object request broker architecture (CORBA) **1**, 135 **3**, 105
Common part convergence sublayer (CPCS) **4**, 183
Common part sublayer (CPS) **4**, 183
Communications module **2**, 103-104
Competing IXC (CIXC) **4**, 117
Competing LEC (CLEC) **4**, 117
Competitive access provider (CAP) **4**, 107
Competitive local exchange carrier (CLEC) **4**, 124, 264
Compliant wavelengths **1**, 47
Component realization process **2**, 117
Components, second-hand **2**, 114

Computer-aided design (CAD) **1**, 126
Concept selection matrix **2**, 102
Concurrent systems **2**, 32
Conferencing, multiparticipant stereo desktop **3**, 148
Configuration, point to point **2**, 128
Connection admission control design **1**, 94-111
Connection admission control design, GlobeView®-2000 ATM core switch (ACS): architecture, ACS **1**, 95-97; design requirements **1**, 95; effective bandwidth algorithms for different service classes **1**, 97-109; introduction **1**, 94-95; summary **1**, 109-110
Connection Admission Control Design for GlobeView®-2000 ATM Core Switches **1**, 94-111
Connection gateway **4**, 105, 109, 117
Connection-oriented and connectionless transmission **3**, 100
Connections, OC-N **1**, 53
Conservative generic call admission control (CGCAC) **4**, 249
Consortium, TINA, member companies **3**, 104
Constant bit rate (CBR) **4**, 107, 241, 258
Constructing Interactive Network Visual Interfaces **2**, 47-57
Control/signaling: standards and activities **4**, 108; standards and variations **4**, 107
Convergence sublayer (CS) **4**, 182
Copeland, Leon R. **3**, 52-60
Cordless private branch exchange **1**, 32
Cordless Telephone 2 (CT2) system **2**, 63
Core NSF **4**, 26
Cornerstone Platform **2**, 132
Cost analysis **4**, 257, 260
Cost breakdown structure (CBS) **3**, 5
Cost information **4**, 259
Cost of goods (COGs) **1**, 124
CPCS *see* Common part convergence sublayer
CPS *see* Common part sublayer
Cradle to cradle **2**, 109, 111
Cravatts, Mark R. **1**, 19-29
CRP *see* Component realization process
CS *see* Convergence sublayer
CS-1 and CS-2, ITU **4**, 126
CSI *see* Carrier-scale internetworking
CSM *see* Chip-scale module
CTD *see* Cell transfer delay
CTE *see* Thermal expansion coefficient or coefficient of thermal expansion
Customer premises equipment (CPE) **1**, 82 **4**, 264
Customized network applications **2**, 48
Cyr, Bernard L. **1**, 30-38

D

Dalí, prototype of DataBlitz™ storage manager **1**, 8
DAP *see* Directory access protocol
Das, Kamala P. **4**, 12, 255-272
Data communications channel (DCC) **1**, 48
Data management **1**, 3-18
Data networking **4**, 255
Data services, high-speed, in wireless networks **3**, 30-49
Data traffic demands **4**, 259
Data transfer rates: DS1, DS3, E1, E3, J2 **4**, 180
DataBlitz™ main-memory database system **1**, 3, 5-6, 8, 16
Data-terminal ready (DTR) **1**, 23
DBCES *see* Dynamic Bandwidth Circuit Emulation Service
DCA *see* Dynamic channel assignment
DCC *see* Data communications channel
DCCH *see* Dedicated control channel
DCP *see* Digital communications protocol
DCT-domain: CIF-to-QCIF down-converter **3**, 22; decimation process **3**, 25
DDM-2000 *see* Dual Digital Multiplexer-2000
Deadlocks **2**, 34
Debit-based billing, Sunrise system **1**, 6-7, 12-13
DECC *see* Domain-Engineered Configuration Control
Decoder/encoder **1**, 22
DECT *see* Digital European Cordless Telephone
Dedicated control channel **3**, 71-72
Deep compression of user data protocol/Internet protocol (UDP/IP) headers **3**, 79-80, 88-95
Defining and maintaining mechanisms, ADEPT **3**, 5
DEFINITY® system **2**, 124, 126, 127
DEFINITY® Wireless Business System (DWBS) **1**, 19-27, 122
DEFINITY® ECS **4**, 189
Degani, Yinon **3**, 116-124
Delay **4**, 251
Delay-sensitive routing **4**, 251
Demarcation approximation **3**, 53
Demarcation energy **3**, 53-55
Demarcation mapping **3**, 52-60
Demarcation maps, application to: checking assumptions **3**, 58; non-Arrhenius models **3**, 59; optical fiber gratings **3**, 54-57; robustness of the construction for design **3**, 58-59; safety checks of system burn-ins **3**, 59; simple thermal failure modes **3**, 57-58
Dendritic spines **1**, 145
Dense wavelength division multiplexing (DWDM): description **1**, 39-59, 112; for long-reach high-speed parallel interfacing **1**, 53; general **4**, 63-64, 68, 109; networks based on **1**, 81
Design comparisons and sensitivity analysis, network **4**, 269
Design for the environment **2**, 109
Design of simulators and debuggers for distributed and parallel programs **2**, 44
Design superclass **3**, 5
Design, network **4**, 257
Design: inputs **4**, 258; parameters **4**, 259
Designing Best-in-Class Impact-Tolerant Cellular Phones and Other Portable Products **3**, 159-174
Designing IP Networks with Performance Guarantees **4**, 12, 273-296
Desktop Management Task Force (DMTF) **4**, 208, 215
Destination **4**, 251
DHCP *see* Dynamic host configuration protocol
Dial pulse (DP) **4**, 107
Dicryl, S. A. **3**, 123
Differentiated services **4**, 32, 144, 163, 167-168, 222-239
Differentiated services, in a multiservice network environment **4**, 222-239
Differentiated Services: architecture **4**, 53; behavior and services **4**, 57-59; general **4**, 50, 53-55, 57-61; with IntServ **4**, 59-60
Differentiated services and QoS in a multiservice network environment: infrastructure options for a multiservice network **4**, 231-236; introduction **4**, 222-224; multiservice networks, a conceptual framework **4**, 224-231; summary and evolution **4**, 236-237
Differentiated Services Working Group **4**, 48, 56, 60
Differentiation, GoS **4**, 244, 250
DiffServ (DS) field **4**, 53, 55-57, 60, 314-315, 320-321, 323, 335
DiffServ *see* Differentiated services
Digital Business Telephones—Project Laser **1**, 122-133
Digital cellular and personal communications services (PCS) voice networks, using data on: future work **2**, 73; handset hardware **2**, 67-69; handset software infrastructure of prototype **2**, 72-73; handset user interface **2**, 69-72; introduction **2**, 58-60; personal digital assistants (PDAs) **2**, 61-62; smart phones **2**, 60-61; software choices **2**, 63-65; system architecture **2**, 66-67; user interface issues **2**, 65-66; wireless data service providers **2**, 62-63
Digital communications protocol (DCP) **1**, 124 2, 125
Digital cross-connect system **4**, 68, 74
Digital European Cordless Telephone (DECT) **2**, 63
Digital line and trunk unit (DLTU) **2**, 104
Digital networking unit (DNU) **2**, 104
Digital signal processor line interface (DSPLI) **4**, 115
Digital subscriber line (DSL) **4**, 121
Digital telephones, 8400-series **1**, 122-131
Digital-to-analog (D/A) converter **2**, 137
Dijkstra shortest path first algorithm **4**, 251
Direct link node (DLN) **2**, 36
Directory access protocol (DAP) **3**, 130-131, 133, 135-136

Directory data server **3**, 132-136
Directory information shadowing protocol (DISP) **3**, 130, 136
Directory operational binding management protocol **3**, 130, 136
Directory project **3**, 129
Directory System Architecture (DirSA): definition **3**, 126-127, 130, 133-136; specification **3**, 134-135
Directory system protocol **3**, 130, 136
Directory views, dynamic and static **2**, 127
Directory-enabled network (DEN) information model **4**, 215
DirSA Case Study: An Introduction to Software Architecture Technology, The **3**, 125-138
DirSA *see* Directory System Architecture
DIS® virtual machine **2**, 64, 73
Disassembly **2**, 109
Discrete cosine transform (DCT) **3**, 21
DISP *see* Directory information shadowing protocol
Disposability **2**, 114
Distance vector multicast routing protocol (DVMRP) **4**, 94
Distributed carrier assignment, in cellular service: distributed carrier raking **3**, 34-36, 38, 42; distributed carrier requesting **3**, 34-35, 38, 42
Distributed processing environment (DPE) **3**, 105
Divergence **2**, 34
DLN *see* Direct link node
DLTU *see* Digital line and trunk unit
DNU *see* Digital networking unit
DOLMEN project general **3**, 109-112; problems in **3**, 111
Domain **1**, 146
Domain engineering **3**, 10-20
Domain name server (DNS) **4**, 141
Domain Naming Service (DNS) **3**, 129
Domain: general **3**, 103; pixel **3**, 21
Domain-Engineered Configuration Control (DECC) **3**, 15
Dominique, Francis **3**, 30-49
DOP *see* Directory operational binding management protocol
Doshi, Bharat T. **4**, 8, 12, 63-85, 297-337
Dowden, Douglas C. **4**, 3–14
Down-conversion: DCT-domain **3**, 24; DCT-domain versus pixel-domain **3**, 22
Dragone router **1**, 44
Dravida, Subrahmanyam **4**, 63-85, 273-296
DSP *see* Directory system protocol
DSPLI *see* Digital signal processor line interface
DTR *see* Data-terminal ready
Dual Digital Multiplexer-2000 (DDM-2000) **2**, 104
Dual tone multifrequency (DTMF) **4**, 107, 129
DVMRP *see* Distance vector multicast routing protocol
DWBS *see* DEFINITY® Wireless Business System
Dynamic Bandwidth Allocation Algorithms for High-Speed Data Wireless Networks **3**, 30-49
Dynamic Bandwidth Circuit Emulation Service (DBCES) **4**, 180
Dynamic channel assignment (DCA) **3**, 31, 33, 39, 42
Dynamic host configuration protocol (DHCP) **4**, 165
Dynamic random access memory (DRAM) **2**, 137 **3**, 116, 120-121

E

Eco-cost-effective **2**, 111
Eco-design **2**, 109, 119
Eco-supplier development **2**, 116, 123
ECS *see* Enterprise communication systems
Edge gateway: model **4**, 130; VoD solution **4**, 130
Edge switch: model **4**, 130; VoD solution **4**, 130
Effective bandwidth algorithms for different ATM service classes: available bit rate (ABR) **1**, 107; constant bit rate (CBR) **1**, 97-99; link bandwidth sharing **1**, 108-109; overbooking and underbooking **1**, 109; summary **1**, 109-110; unspecified bit rate (UBR) **1**, 107-108; variable bit rate (VBR) **1**, 99-107
EGP *see* Exterior gateway protocol
Eick, Stephen G. **2**, 47-57
EIH *see* Ensemble Interval Histogram
Electromagnetic interference (EMI) **3**, 161
Electronic Messaging Association **2**, 134
elemedia® technology **4**, 106, 258; telecommunications software stack **4**, 97
Element Management System (EMS) **4**, 118
E-levels **2**, 115-116
Emerging network services for data networks **4**, 140
Emissions, hazardous air **2**, 111
EMS *see* Element Management System
end keyword **4**, 25
End office (EO) **4**, 109
Endpoints **3**, 101
End-user experience, characteristics that enhance **3**, 103
Energy-efficient product **2**, 114
Enhanced Message Networking Topology: Multimedia Messaging with the Intuity™ Interchange Server, An **2**, 124-135
Enhanced variable-rate coder **3**, 72
Ensemble Interval Histogram **3**, 153
Enterprise communication systems **3**, 129-131
Enterprise communication systems framework: cross-product architectures **3**, 131; product line architectures **3**, 131
Enterprise directory **2**, 133
Enterprise Lists **2**, 124, 129, 130, 134
Enterprise networks vs. carrier networks in OneVision® architecture **4**, 217
Enterprise solution, Lucent **4**, 189
Environmental Supply-Line Engineering: Eco-Supplier Development Coupled to Eco-Design—a New Approach **2**, 109-123
Environmental: consequences **2**, 109; design practices **2**, 111; load **2**, 109-111, 116, 118; performance **2**, 109, 123; supply-line engineering **2**, 109
EPN *see* Expansion port network
Erbium-doped fiber amplifier **1**, 41
Error detection tools **2**, 22-31
Essential components, service provider **3**, 104
Ethernet **4**, 35, 38, 116, 165
European Telecommunications Standards Institute **3**, 50, 63, 67 **4**, 108, 208, 210
Event: animation **4**, 244; handling **4**, 243
Event-processing system **1**, 3-18
EVRC *see* Enhanced variable-rate coder
Expansion port network (EPN) **4**, 189
Expansion, wavelength capacity **1**, 58
Exterior gateway protocol (EGP) **4**, 54
Extrapolation models **3**, 52-60

F

Facility costs, edge-to-backbone **4**, 260
Factory cost model **1**, 128
Failure analysis **3**, 162
Falcon and Omaha cell phone prototypes **3**, 160, 168
Falcon cell phone **3**, 160-161, 164, 166
Family-oriented Abstraction, Specification, and Translation **1**, 145-146 **3**, 10-12, 18
Fast Ethernet **2**, 137
Fast recursive least-squares (FRLS) **3**, 154
Fatehi, Mohammad T. **1**, 39-61
Fault detection tools **2**, 22-31
Fault prevention approach, 5ESS® switching system software: *Coding Fault Prevention Guidelines, The* **2**, 7; conclusions **2**, 20-21; countermeasures for improvement **2**, 6-7; development process analysis **2**, 3-5; general **2**, 3-21; interface faults **2**, 11-15; introduction **2**, 3; logic faults **2**, 7-11; maintainability faults **2**, 15-19; measurement metrics **2**, 19-20; results **2**, 20; root cause analysis **2**, 5-6
Fault prevention countermeasures, 5ESS® switching system software, results of implementing **2**, 20
FCH *see* Fundamental channel
FCW *see* Flexible call waiting
Feature server (FS) **4**, 105, 129, 178
Federal Communications Commission (FCC) **2**, 21
FEM *see* Finite element method
Fendick, Kerry W. **4**, 8, 32-47
Fiber to the home (FTTH) **4**, 63
Fiber, installing new **1**, 39
Fiber, optical: description **1**, 46; performance impairment, causes of

1, 46; single-mode, types of **1**, 46; two types of **1**, 46
Fiber: attenuation, connectorization, dispersion, dispersion-shifted, multimode, nondispersion-shifted, nonlinearities, nonzero dispersion-shifted, single-mode, splicing, and TrueWave® **1**, 46
Field-programmable gate array (FPGA) logic **2**, 137
Field-programmable system chip **2**, 137
FIFO *see* First-in/first-out
File transfer protocol: data interfaces **2**, 131; general **1**, 108 **2**, 59, 126, 131 **3**, 8 **4**, 224, 276
Filter, multilayer interference **1**, 44
Filters, model **3**, 152
Finite element method (FEM) **3**, 173
Fink, William **4**, 103-123
First-in/first-out (FIFO) **2**, 33, 39
First-in–first-out (FIFO) scheduling **4**, 273-281, 283-288, 290-292, 294
Fixed channel assignment **3**, 31, 33, 42
Fixed-point equations (FPE) **4**, 19
Flash electrically erasable programmable read only memory (EEPROM) **2**, 137
Flexible call waiting (FCW) **4**, 126
Flip-chip assembly **3**, 118-123
Forms (ADEPT): *browser, detail, find* **3**, 7
Fossaceca, John M. **4**, 9, 86-102
FPE *see* Fixed-point equations
FPSC see Field-programmable system chip
Frame relay **4**, 38, 84, 161-163, 169
Frame relay networks **4**, 227, 299-300
Framework services **3**, 108
Fraud detection/prevention, Sunrise system **1**, 7-8, 15
Freephone/800 service **3**, 101
Frequency division multiple access (FDMA) **1**, 20-27
Frequency reuse plan, in wireless base stations **3**, 48
Friends and Family* discounts **1**, 4
FRLS *see* Fast recursive least-squares
FS *see* Feature server
FTP *see* File transfer protocol
FTTH *see* Fiber to the home
Fundamental channel (FCH) **3**, 72, 74, 76-77
Funka-Lea, Cynthia A. **4**, 11, 240-254

G

G.729 standard **3**, 86, 90, 92, 94
Gain, flat **1**, 43
Galileo* Ethernet device **4**, 94
Gamoke, Robert J. **2**, 36
GARM *see* Generic architecture reference model
Gartner, William J. **1**, 39-61
Gatekeeper (GK) **4**, 117, 127
Gateway location protocol **4**, 144
Gaussian errors **1**, 115
GCAC *see* Generic call admission control
GCIMS *see* Global Component Information Management System
Generic architecture reference model: general **3**, 125-137; software architecture engineering **3**, 127-129
Generic architecture reference model/architecture specification technique method **3**, 125-137
Generic call admission control **4**, 241, 246
Generic connection admission control **4**, 249
Geographic location **4**, 259
GEOS* 3.0 operating system **2**, 60, 64
Gitlin, Richard D. **4**, 3–14
GK *see* Gatekeeper
Global Component Information Management System (GCIMS) **2**, 120
Global Digital Telephone (GDT) **1**, 124
Global roaming environment (GRE), in mobile multimedia services **3**, 50-62
Global roaming requirements, service transportability **3**, 50
Global state **2**, 34
Global System for Mobile Communications (GSM) **2**, 81 3, 30, 63, 82-83, 111, 121
Global System for Mobile Communications, based on frequency hopped multiple access and time division multiple access technologies **2**, 58, 60, 63
GlobeView® system **1**, 88
GlobeView®-2000 ATM core switch (ACS) **1**, 94-111
GlobeView®-2000 switch **2**, 95
GOB *see* Group of blocks
Godefroid, Patrice **2**, 32-46
Gorrepati, Patvardhana B. **3**, 79-97
Goyal, Suresh **3**, 159-174
Grades of service (GoS) **4**, 241
Graffitti* recognition engine **2**, 61
Graph aggregation **3**, 7
Graphical user interface (GUI) **2**, 48-50, 53, 56, 124, 131 4, 124
Graphical user interface application builders: PowerBuilder* **2**, 49; Tcl/Tk tools **2**, 47-50, 53-57; Visual Basic* **2**, 49
Graphics application programming interfaces (APIs): Direct3D* **2**, 51; Java3D **2**, 52; OpenGL* **2**, 51; virtual reality modeling language (VRML) **2**, 51-52; X/Motif* **2**, 51
Gratings, optical fiber **3**, 52-60
Gratings: fiber **1**, 45; Bragg **1**, 58
Green **2**, 110
Green, Janel A. **3**, 10-20
Greenness **2**, 110, 115, 118
Gregus, Jeffrey A. **3**, 116-124
Griffith, Gary L. **1**, 19-29
Group of blocks (GOB) **3**, 25
GTE **1**, 134
Guaranteed service **4**, 222-223, 230-231, 237
Guaranteed, predictive, and best-effort services **4**, 240
GUI *see* Graphical user interface

H

H.245, ITU-T standard **3**, 89 4, 149
H.261 video standard **2**, 81, 86 **3**, 26
H.323 protocols, ITU-T **3**, 79-80, 89, 94-95 **4**, 9, 108, 109, 118, 127, 131, 136, 141, 144, 146, 158, 198-202, 313, 316-317, 330, 334
Hall, Joseph L. **3**, 148-158
Hand-held Device Markup Language (HDML) **2**, 61. 63-64
Hand-held device transport protocol (HDTP) **2**, 63-64
Handwriting capture widget (HCW), wireless handset **2**, 70-71, 73
Handwriting recognition **2**, 58, 61, 64-65, 68-72
Handwriting recognizer, wireless handset **2**, 72
Hanmer, Robert S. **2**, 32-46
Hardware **2**, 110
Hardware-Software Interface (HSI) Designer **3**, 15
Harshavardhana, P. **4**, 63-85, 273-296
HBM *see* Heart-Beat Monitor
HCW *see* Handwriting capture widget
He, Linhai **1**, 94-111
He, Taosong **2**, 47-57
Header compression, deep, of user data protocol/Internet protocol (UDP/IP) **3**, 79-80, 88-95
Header compression, Van Jacobson transmission control protocol/Internet protocol (TCP/IP) **3**, 89, 92
Heart-Beat Monitor **2**, 32-33, 36-44
Hernandez-Valencia, Enrique J. **4**, 297-337
Hierarchical cell base station **1**, 35
Hierarchical Virtual Partitioning **4**, 17, 30
High-definition television (HDTV) **3**, 23
High-density silicon interconnection **3**, 118-122
High-speed camera **3**, 161, 162
High-speed data cellular services, spectrum efficiency **3**, 30-48
High-speed data services, in wireless networks **3**, 30-49
High-speed data wireless networks, dynamic bandwidth allocation algorithms: centralized carrier allocation **3**, 36-38; complexity **3**, 38-39; conclusions **3**, 48; distributed carrier assignment **3**, 34-36; introduction **3**, 30-32; model description **3**, 32-33; preliminaries **3**, 33-34; simulation experiments **3**, 39-48
Holzmann, Gerard J. **2**, 22-31
Home location record (HLR) **2**, 24-26
House of quality **2**, 98-101
HSI Designer *see* Hardware-Software Interface Designer
Hu, Jianying **2**, 58-75
Hybrid ATM/STM transport **1**, 87
Hybrid network configurations **2**, 127
HyperText Markup Language (HTML) **1**, 135 **2**, 59 **3**, 3
Hypertext transport protocol (HTTP) **2**, 59 **4**, 146, 149-151, 156-158

I

I.366.2 **4**, 183
I/O *see* Input/output
I2O* system **4**, 94-95
IAM *see* Initial address message
ICAP* see Interactive communicating applications protocol
ICW *see* Internet call waiting
IDCT *see* Inverse discrete cosine transform
Identification (ID) **2**, 127
Idle channel suppression **4**, 178
IGP *see* Interior gateway protocol
IHAPI *see* Interchange hub applications programming interface
IIOP *see* Internet interobject resource broker protocol
ILEC *see* Incumbent LEC and incumbent local exchange carrier
ILMI *see* Integrated local management interface
Improved authentication **4**, 134
Improving Quality and Productivity in Training: A New Model for the High-Tech Learning Environment **1**, 134-143
IMT-2000 *see* International Mobile Telecommunications 2000
IMT-2000: family of services **3**, 95; multimedia services **3**, 95
IMTC *see* International Multimedia Teleconferencing Consortium
INAP *see* Intelligent network application protocol
In-building wireless systems: digital air interface technologies **1**, 35; general **1**, 30-35, 37; radio base station characteristics **1**, 32-35; switching and network architecture **1**, 35-37
Incumbent local exchange carrier (ILEC) **4**, 111, 124, 264
INDT *see* Integrated Network Design Tool
Inferno® operating system **2**, 58, 63-64, 71-73 **4**, 86, 95-96
InfoWiz™ software **3**, 12, 18
Ingres* **3**, 3
Ingres/Net* **3**, 3
Initial address message (IAM) **4**, 111, 118
Initial global state **2**, 34
Innovation speed **2**, 120
Input/output (I/O) **1**, 124
Institute of Microelectronics **3**, 123
Integrated circuit (IC) **1**, 124
Integrated circuit technology **3**, 116-124
Integrated data **4**, 134
Integrated local management interface (ILMI) protocol **1**, 73
Integrated network **4**, 255
Integrated Network Design Tool **4**, 72-75
Integrated Services: general **4**, 50-51, 53, 59-61; strengths of Interserv model **4**, 51-52; weaknesses of the IntServ model **4**, 52-53; with DiffServ **4**, 59-60
Integrated services digital network **1**, 21, 24, 34, 65 **2**, 36, 94-95, 97-98, 104-105,107
Integrated services digital network: D-channel protocol **4**, 179; general **4**, 107, 127, 179
Integrated Services over Specific Link Layers (ISSLL) Working Group **4**, 51
Integrated Services Working Group **4**, 48, 50-52
Intelligent network (IN) **1**, 4 **2**, 95-96, 105 **3**, 101 **4**, 117, 124, 186
Intelligent Network (IN) distributed functional plane (DFP) **3**, 50
Intelligent network application protocol (INAP) **4**, 142
Intelligent peripheral (IP) **4**, 129
Interactive communicating applications protocol (ICAP*) **2**, 64-65
Interactive network visual interfaces, constructing: basic network views **2**, 54-56; conclusions **2**, 56; introduction **2**, 47-48; network base class **2**, 51-53; network data **2**, 50-51; system overview **2**, 48-50; Tcl/Tk graphical user interface **2**, 53-54
Interactive visualization, for complex, time-varying, hierarchical networks **2**, 47-57
Interchange hub applications programming interface **2**, 132, 133
Interchannel differences for stereo acoustic echo cancellation, choice of **3**, 151
Interchannel differences for synthesizing stereo sound **3**, 149
Interconnection, high-density silicon **3**, 118-122
Interexchange carrier (IXC) **3**, 103 **4**, 111, 124
Interface faults, 5ESS® switching system software: list of major faults **2**, 11; samples **2**, 11-15
Interior gateway protocol (IGP) **4**, 54
Intermediate system to intermediate system (IS-IS) protocol **4**, 315, 319-320
International Mobile Telecommunications 2000 (IMT-2000): Capability Set 1 (CS-1) **3**, 51; general **3**, 63, 67, 78; third generation **3**, 50-62, 80, 89, 95
International Multimedia Teleconferencing Consortium (IMTC) **4**, 109
International Organization for Standardization (ISO) **3**, 68
International Organization for Standardization (ISO) Directory Standard/X.500 Recommendation **3**, 130-131, 133-134, 136
International Telecommunication Union (ITU) **1**, 65 **3**, 50, 63, 67-68, 74, 78, 80, 86, 89 **4**, 10, 245
International Telecommunication Union-Telecommunication Standardization Sector (ITU-T): G.711 **4**, 107, 115; G.722 **4**, 107; G.723.1 **4**, 258; G.725 **4**, 107; G.726 **4**, 107; general **3**, 50-62 **4**, 183, 208, 210-211, 258; H.245 **4**, 149; H.323 **4**, 144, 146, 158; Q.2100 **4**, 184; Q.2931 **4**, 107; Q.931 **4**, 108, 178; Q.SIG **4**, 178; Rec. 1701 **3**, 51, 62; Rec. 1711 **3**, 62; SG11 **3**, 62
International telecommunications fraud **1**, 8
Internet **1**, 3 **2**, 58-60, 63-64, 68 **4**, 176, 255, 268
Internet call waiting (ICW) **4**, 139
Internet Engineering Task Force **4**, 10, 16, 34-35, 48, 51, 60, 96, 98, 109, 139, 144, 146, 155, 167, 169, 197-198, 208, 210, 213, 215, 223-224, 228-231, 236, 240, 313, , 323, 325
Internet interobject resource broker protocol (IIOP) **3**, 111
Internet MBone statistics **2**, 56
Internet protocol **4**, 32, 38-39, 44, 48-49, 51, 53-54, 61, 161-175, 208, 210, 215, 218, 222-239
Internet protocol network, managed **4**, 297-337
Internet protocol networks, designing with performance guarantees: case studies **4**, 285-292; introduction **4**, 273-276; link capacity computations **4**, 276-281; MPLS-based **4**, 28; network topology optimization **4**, 281-284; router replacement problem **4**, 284-285
Internet protocol telephony (IPtel): current architectures **4**, 198-201; general **4**, 311-313, 326-327, 334-335; introduction **4**, 192-197; proposed architecture **4**, 201-207; requirements **4**, 197-198
Internet protocol transport architectures: design algorithms **4**, 72-75; introduction **4**, 63-66; scenarios **4**, 75-82; transport architecture choices **4**, 66-72
Internet protocol: addresses **3**, 129; general **1**, 24, 62 **2**, 47, 55 **3**, 100
Internet protocol: general **4**, 6, 90, 92, 94, 103, 106, 129, 176, 240, 255, 269; infrastructure **4**, 222, 225; network architecture **4**, 262; network design **4**, 268; routing, large scale **4**, 86
Internet protocol-based networks **4**, 297-301, 311-327, 329-332, 334-335
Internet protocol device control **4**, 116
Internet service provider (ISP) **3**, 98 • **4**, 15, 124
Internet telephony server for service providers (ITS SP) **4**, 258
Internet telephony server/gateway **4**, 263
Internet telephony: services, advanced **4**, 144-160; signaling **4**, 145
Internet-related topics **1**, 135
Internetwork packet exchange (IPX) **4**, 84, 164-165
Interoffice (IOF) **1**, 82
Interval Reduction Through Requirements Analysis **2**, 22-31
Interworking function (IWF): general **4**, 178; in the ATM switch or access concentrator **4**, 189
Interworking IN and data networks **4**, 137

Intuity™ Interchange system **2**, 124-126, 129, 130, 132-134
Intuity™ response applications programming interface **2**, 132, 133
Inverse discrete cosine transform (IDCT) **3**, 21
Inverse quantization (IQ) **3**, 22
Invisible operations **2**, 34
IOF *see* Interoffice
IP *see* Internet protocol
IP *see* Internet protocol and Intelligent peripheral
IPDC *see* Internet protocol device control
IPsec *see* Secure Internet protocol
Ipsilon/Nokia IP switching **4**, 224, 232
IPtel *see* Internet protocol (IP) telephony
IPX *see* Internetwork packet exchange
IQ *see* Inverse quantization
IRAPI *see* Intuity™ response applications programming interface
IS measure *see* Itakura-Saito measure
IS-136 standard **3**, 30, 48, 63
IS-136 time division multiple access (TDMA): air interface **3**, 79-81, 83-84, 86-87, 92-95; general **1**, 35; technology **2**, 58, 63
IS-54, predecessor of IS-136 **2**, 63
IS-657, a companion standard for packet-switched data channels **2**, 63, 67
IS-95 code division multiple access: air interface **3**, 79-88, 90-95; general **1**, 35; technology **2**, 58, 63
IS-95 standard **3**, 30
IS-A edge **3**, 5
ISDN services user protocol (ISUP) **4**, 108
ISP telephony **4**, 134
ISP/IN integration **4**, 134
ISSLL *see* Integrated Services over Specific Link Layers
ISUP *see* ISDN services user protocol
Itakura-Saito (IS) measure **3**, 153
ITS *see* Internet telephony server/gateway
ITS SP *see* Internet telephony server for service providers
IWF *see* Interworking function
IXC *see* Interexchange carrier

J

Jackman, Neil A. **1**, 112-121
Jagadeesan, Lalita Jategaonkar **2**, 32-46
Janczewski, Carol L. **4**, 240-254
Japanese Total Access Communication System (JTACS) **3**, 63
Java telephony application programming interface (JTAPI) **4**, 158
Java*: applet **4**, 150; general **1**, 10; platform **2**, 56; programming language **2**, 63-64; study group **1**, 135; Virtual Machine study group **1**, 135-136, 139
Jelenkovic, Predrag R. **3**, 30-49
Judkins, Justin B. **3**, 52-60

K

Kalavade, Asawaree **2**, 76-92
Kannan, Sriraman **3**, 52-60
Kashi, Ramanujan S. **2**, 58-75
Kaur, Harbans **4**, 176-191
Kirova, Vassilka D. **3**, 125-138
Kitting of materials **1**, 130
Knisely, Douglas N. **3**, 63-78
Kocan, Kristin F. **2**, 93-108
Korth, Henry F. **1**, 3-18
Kowalik, John, Jr. **1**, 122-133
Kozik, Jack **4**, 10, 124-143
Kradjel, Howard G. **3**, 125-138
Krishnamurthy, Bala **4**, 103-123
Kronecker matrix products **1**, 112-121
Krzyzanowski, Paul **1**, 19-29
Kumar, Vijay P. **4**, 32-47
Kumaran, Krishnan **3**, 30-49

L

L2TP *see* Layer 2 tunneling protocol
Label distribution protocol **4**, 168, 234
LAC *see* Link access control
Lakshman, T. V. **4**, 32-47
Lamba, Gurmeet S. **2**, 124-135
LAN *see* Local area network
Landfill **2**, 115, 120
LANE *see* Local area network emulation
LATA *see* Local access and transport area
Lau, Maureen Y. **3**, 116-124
Lau, Wing Cheong **4**, 240-254, 273-296
Layer 2 tunneling protocol (L2TP) **4**, 335
Layer 2: Ethernet switching **4**, 89, 94; general **4**, 226, 235; media-specific technologies **4**, 50-51, 61; protocols **4**, 49, 51
Layer 3 **4**, 50, 89, 226, 231, 232-235
Layer 3/4 Internet protocol switches **4**, 297, 301, 314, 320, 323, 335
Layer 4 **4**, 231, 236
LCAC *see* Local call admission control
LDAP *see* Lightweight directory access protocol
LD-CELP *see* Low-delay code-excited linear prediction
LDP *see* Label distribution protocol
Leasing, wavelength **1**, 54
Least-mean-square (LMS) **3**, 153
Lehder, Wilfred E., Jr. **1**, 19-29
Leikness, John M. **2**, 124-135
Lemaire, Paul J. **3**, 52-60
Li, Quinn **3**, 63-78
Licensed radio-frequency (RF) spectrum and voice-over-IP protocol stacks: RF bit economics **3**, 85-86; voice-over-IP protocol stacks **3**, 86-87
Life cycle: analysis **2**, 116; general **2**, 109
Light, multiwavelength **1**, 45
Lightweight directory access protocol (LDAP) **2**, 124, 133, 134 **3**, 130-131, 133 **4**, 9, 117, 141, 145
Limbo® programming language **2**, 64, 73 **4**, 95
Lin, Geng **4**, 10, 208-221
Lin, I-Far **4**, 103-123
Linear predictive coding (LPC) **2**, 88
Linear temporal logic (LTL) **2**, 24
Linearized capacity costs **4**, 16
Linearized optimal capacity reallocation problem **4**, 23
Link access control (LAC) **3**, 68-71
Link state updates **4**, 242
Lint tool, C program files **2**, 5
LINUX* system **1**, 24
Liquid crystal display **3**, 161
Little's law **3**, 34
Liu, Chung-Zin **3**, 79-97
LMS *see* Least-mean-square
LNP *see* Local number portability
Loads, impact-induced **3**, 160
Local access and transport area **4**, 186
Local area network (LAN) **1**, 19-27, 84 **3**, 103 **4**, 109, 258
Local area network emulation **4**, 164-165
Local call admission control **4**, 246
Local exchange carrier **4**, 111, 125, 186
Local number portability (LNP) **2**, 95 **4**, 126, 186
Location routing number (LRN) **4**, 118
Location services **4**, 140
Logic faults, 5ESS® switching system software: list of major faults **2**, 7; samples **2**, 7-11
Long distance voice service integration with best-effort service and multiservice virtual private networks **4**, 297-337
Long distance voice services over asynchronous transfer mode and IP-based networks **4**, 297-337
Long-distance (LD) **4**, 103
Long-distance carrier (LDC) **4**, 264
Longest-queue drop (LQD) **4**, 41, 273-277, 280-281, 283-288, 290-292
Loops: decoding, down-sampling, encoding **3**, 22
Low-delay code-excited linear prediction (LD-CELP) **4**, 107
Low-power technology **2**, 122
Low-Speed Data over the PWT Wireless Phone System **1**, 19-29
LPC *see* Linear predictive coding
LQD *see* Longest-queue drop
LRN *see* Location routing number
LTL *see* Linear temporal logic
Lucent Behavior Analysis Toolset **2**, 25
Lucent Speech Application Platform™ **3**, 175–176
Lucent Technical Service Center **2**, 131
Lucent Technologies: general **4**, 118, 125, 186, 189, 244, 256; product plan, third-generation (3G) mobile telecommunications equipment **3**, 62; standardization activities **3**, 50; Switching and Access Solutions Group **3**, 4; Wireless Networks Group **3**, 4
Lumish, Stan **1**, 39-61
LuValle, Michael J. **3**, 52-60
Lyons, Terry G. **4**, 176-191

M

MAC *see* Medium access control
Macroblock (MB) **3**, 22
Mailbox identification **2**, 127
Maintainability faults, 5ESS® switching system software: list of major faults **2**, 16; samples **2**, 16-19
Maintenance, network: end-to-end signal tracking and monitoring **1**, 58; general **1**, 57; monitoring, fault detection, and isolation **1**, 58
Management information base **4**, 213-215
Management information base-II **2**, 131
Management, network **2**, 131
MAP decoder *see* Maximum a posterior decoder
map file **4**, 25
Maps, prestored **1**, 55
Markov chain **2**, 85
Markovian process **2**, 79, 82-85, 92
Martin, Robert L. **4**, 3–14
MATLAB* spectrum function **3**, 155
Maximum a posterior decoder **3**, 77
MB *see* Macroblock
Mbone *see* Multicast backbone
MC *see* Motion compensation
MCAD *see* Mechanical computer-aided design
McCann, Peter J. **3**, 79-97
MCI **4**, 259
McKinney, R. D. **3**, 98-115
MD *see* Money dispenser
Mean square error (MSE) **3**, 155
Measurement metrics, preventing software faults: coding faults found by customers **2**, 20; costs **2**, 20; number of faults **2**, 19-20
Mechanical computer-aided design (MCAD) **1**, 126
Media gateway control protocol **4**, 9
Medium access control **3**, 65, 68-73
Meridian Mail **2**, 124
MESH project **3**, 109-111
Message: networking **2**, 124; queues **2**, 39
Messaging integration **4**, 140
Meta work breakdown structure **3**, 5
Metcalf's Law **4**, 6
Methodology, packet network design **4**, 257
MF *see* Multifrequency
MGCP *see* Media gateway control protocol
Microelectronics (ME) Group, Lucent Technologies **1**, 124
Microsoft Project **3**, 4
Microsoft* **1**, 24
Microsoft* Exchange* **2**, 124
Micro-systems integration technology (MSIT) **3**, 116-124
Miner's Rule **3**, 59
Mitra, Debasis **4**, 8, 15-31
Mittal, Ajay K. **4**, 273-296
MMUSIC *see* Multiparty multimedia session control
Mobile cellular systems, transmitting data **3**, 30
Mobile multimedia services **3**, 50-62
Mobile service operator (MSO) **4**, 125
Mobile switching center (MSC) **2**, 24 **3**, 67, 82-83
Model checking tools **2**, 22-31
Model filters **3**, 152
Modeling language **2**, 32
Models, extrapolation **3**, 52-60
Modular development methodology **2**, 131
Moghé, Pratyush **2**, 76-92
Money dispenser (MD) **3**, 101
Monitoring, optical: basic functions of **1**, 46; description **1**, 46
Monte Carlo simulations **1**, 112-121
Montgomery, Warren A. **3**, 98-115 **4**, 10, 124-143
Moore's Curve **4**, 5
Moore's Law **4**, 6
Morgan, Dennis R. **3**, 148-158
Morrison, John A. **4**, 8, 15-31
Most*, The, telecommunications pricing plan **1**, 5
Motion compensation (MC): general **3**, 22; in DCT-domain **3**, 23
Motion estimation (ME) **3**, 21
Motion Picture Experts Group **2**, 86-87, 92
Motorola 680×0 processor family **2**, 36
MPLS *see* Multiprotocol label switching
MPOA *see* Multiprotocol over ATM
MSIT *see* Micro-systems integration technology
Multicast backbone (Mbone) **4**, 149, 158
Multicasting **4**, 52, 61, 146
Multiframe **4**, 179
Multifrequency (MF) **4**, 107
Multilayer Optical Filters with Random Errors **1**, 112-121
Multilayer structures **1**, 114
Multimedia applications **2**, 76-92
Multimedia-over-Internet protocol, wireless **3**, 79-80, 82-83, 87, 89-90, 92, 95
Multiparty multimedia session control (MMUSIC) **4**, 109
Multiphoton excitation microscopy **1**, 145
Multiple impacts **3**, 161
Multiplex section shared protection ring (MSSPRING) **1**, 89
Multiplex shared protection (MSP) **1**, 89
Multiprotocol label switching (MPLS) **4**, 8, 16, 35, 38-39, 66, 161, 163, 168-169, 171-175, 222, 224-225, 232-236, 301, 323-325, 327, 333-334
Multiprotocol over ATM (MPOA) **4**, 169-171, 174, 222, 224-225, 232, 235-236, 323
Multiservice network environment, differentiated services **4**, 222-239
Multiservice network environment, quality of service (QoS) and differentiated services in: infrastructure options for a multiservice network **4**, 231-236; introduction **4**, 222-224; multiservice networks, a conceptual framework **4**, 224-231; summary and evolution **4**, 236-237
Multiservice over ATM and IP network design examples **4**, 265
Multiservice virtual private networks (VPNs)and best-effort service, integration with long distance voice service **4**, 297-337
Murphy, Brian P. **4**, 176-191
MX 1000™ switch **4**, 189, 190, 264

N

Nagarajan, Ramesh **4**, 240-254
Nagel, Menno H. **2**, 109-123
Nakatani, Lloyd H. **3**, 12, 18
Nanotransistors, ongoing research in: NMOS **4**,338; PMOS **4**, 338
Narayanaswamy, Shankar **2**, 58-75
Narrowband ISDN services user protocol (N-ISUP) **4**, 107
Narrowband networks **2**, 93-108
National Laboratory of Advanced Network Research **4**, 259
National Science Foundation Network (NSFNET) **4**, 242, 285-291
National* LM78 integrated circuit **4**, 95
Native agent implementation **2**, 131
Naval Research Laboratory **3**, 11
Nelson, Bruce L. **1**, 39-61
Netherlands, The **2**, 109
NetMeeting* **1**, 26
Network and migration tools **2**, 134
Network applications, customized **2**, 48
Network attributes, data types **2**, 51
Network base class, interactive operations **2**, 52-53
Network design example for a new long-distance carrier, VTOA **4**, 264
Network design examples: multiservice over ATM and IP **4**, 265
Network design, ATM **4**, ; IP **4**, 267
Network element (NE) **1**, 39-59, 81
Network element view **4**, 210, 216
Network information models **4**, 208-221
Network Information Models and OneVision® Architecture **4**, 10, 208-221
Network information models and OneVision® architecture: introduction **4**, 208-209; network information model in **4**, 216-219; standard information models **4**, 210-216; summary **4**, 219
Network maps, node and link: general **2**, 47-48, 50-51; three dimensional **2**, 47, 51-53, 56; two dimensional **2**, 48, 56
Network node interface (NNI) **2**, 97
Network partitioning **2**, 47
Network protection options **1**, 89
Network service provider (NSP) **4**, 103
Network services: alternative local access arrangements **4**, 134; evolution of the local exchange carrier **4**, 125
Network terminals **2**, 76-92
Network visual interfaces, constructing interactive: basic network views

2, 54-56; conclusions **2**, 56; introduction **2**, 47-48; network base class **2**, 51-53; network data **2**, 50-51; system overview **2**, 48-50; Tcl/Tk graphical user interface **2**, 53-54
Network, metropolitan interoffice **1**, 51
Network: architecture **4**, 257; circuit-switched **4**, 255; configurations, hybrid **2**, 127; constraints **4**, 257; design **4**, 257, 259; integrated **4**, 255; management **2**, 131 **4**, 118; model **4**, 109; topologies **2**, 126; topology, star **2**, 124; W8N **4**, 248
Networking: data **4**, 255; message **2**, 124
Network-level management information **4**, 213
Network-level view **4**, 210, 212-213, 216
Networks **3**, 98-115
Networks, wireless **3**, 63-78
Never busy service **4**, 134
New Jersey **2**, 129
Newbridge Networks Corporation **4**, 171
Next-Generation Networks **4**, 3–14
Next-generation networks: architecture **4**, 6–11; Internet protocol backbones **4**, 318; technical challenges **4**, 11–12; wireless **3**, 30-49
Next-generation wireless handset, selecting an operating system and input device **2**, 58-75
Next-hop resolution protocol (NHRP) **4**, 169, 171
Nickel-metal-hydride battery cells **3**, 169-170
Nippon Telephone and Telegraph-800 (NTT-800) **3**, 63
N-ISUP *see* Narrowband ISDN services user protocol
NMOS *see* N-type metal-oxide semiconductor
Nodes **4**, 243
Noh, Tai H. **1**, 81-93
Noise, low **1**, 43
Nokia 9000 Communicator **2**, 60, 64-65
Nokia/Ipsilon IP switching **4**, 224, 232
Nonadditive metrics **4**, 251
Noncommentary source lines (NCSL) **3**, 8
Nondeterminism **2**, 34
Non-facility associated signaling **2**, 105
Nonstale messages **2**, 38
Nordic Mobile Telephone (NMT) **3**, 63
North American Equipment and Building Standards (NEBS) **4**, 113
Nossen, Steve J. **1**, 19-29
NTT-800 *see* Nippon Telephone and Telegraph-800
N-type metal-oxide semiconductor **4**, 338
Numbering plan area (NPA) **4**, 111

O

Object-oriented system, for constructing network visual interfaces **2**, 47-57
OC-12 **1**, 48
OC-192 **1**, 47
OC-3: general **1**, 48 **4**, 15, 26, 112-114, 266; transmission **2**, 94
OC-48 **1**, 47
OctelNet networking protocol **2**, 131
OLS *see* Optical Line System
Omaha cell phone **3**, 160, 165, 167
OMU *see* Optical multiplexer unit
On the fly (OTF) **4**, 246
OneVision®: architecture **4**, 208-221; network management solutions **4**, 208; platform **4**, 96; system **4**, 118
Open shortest path first (OSPF) protocol **4**, 74, 169-173, 273-274, 282, 292, 315, 319-320
Open Systems Interconnection (OSI) **3**, 68 **4**, 210-211
OpenIngres/Forms* **3**, 3
OpenIngres/Replicator* **3**, 3
OpenROAD* **3**, 3
Optical add/drop multiplexer (OADM): description **1**, 44; loss-less in-service upgradable **1**, 57
Optical add/drop multiplexing **4**, 65, 70, 74
Optical cross-connect: description **1**, 54; evolution **1**, 55; general **4**, 63-64, 70
Optical demultiplexer unit (ODU) **1**, 44
Optical fiber amplifier (OFA): description **1**, 41; main components **1**, 41; performance parameters **1**, 42
Optical fiber gratings **3**, 52-60
Optical Line System (OLS) **1**, 48
Optical multiplexer unit (OMU) **1**, 44
Optical Networking **1**, 39-61
Optical networking, applications **1**, 48
Optical signal-to-noise ratio (OSNR) **1**, 42
Optical time division multiplexing **1**, 58
Optical translator (OT) **1**, 56
Optimum routing problem **4**, 19, 23
Oracle* database management system **1**, 5
ORCA® 3TP12 device **2**, 137
ORCA® Series 3 Field Programmable Gate Array **2**, 137-138
Original equipment manufacturer (OEM) **2**, 110, 115, 117
Ouibrahim, Hamza **3**, 98-115
Over-the-air function (OTAF) **2**, 24-26
Overture **2**, 124, 125-127, 130
Overture Aria/Serenade system **2**, 124, 127
OXC *see* Optical cross-connect

P

PA *see* Provider agent
Packaging technology **3**, 116-124
Packet **4**, 176, 183
Packet data services **3**, 63-78
Packet network: architecture **4**, 261; design methodology **4**, 257; voice over wide area **4**, 297-337
Packet over SONET (POS) **4**, 43, 63, 65
Packet over wavelength (POW) **4**, 63
Packet routing techniques, advanced **4**, 86
Packet telephony, carrier scale **4**, 86-102
PacketStar™ Gateway Solution **4**, 105, 108, 121, 186
PacketStar™ 6400 IP Switch—An IP Switch for the Converged Network, The **4**, 8, 32-47
PacketStar™: 6400 IP switch **4**, 66, 84, 168, 273, 276; architecture **4**, 35-38; core router **4**, 268; gateway components **4**, 112; gateway evolution **4**, 120; introduction **4**, 32-35; IP over ATM **4**, 42-45; IP Services Platform **4**, 158; IP switch **4**, 320; product line **4**, 125; quality of service **4**, 38-42; voice gateway for voice over ATM **4**, 112; voice gateway (VG) for voice over IP **4**, 114
PACS *see* Personal Access Communications System
PalmPilot* personal digital assistant (PDA) **2**, 59-61
Paradigm, ADEPT **3**, 4
Parallel architecture **1**, 3, 9-10
Pareto Principle **2**, 100
Partial-order methods **2**, 36
Partitioning networks **2**, 47
Patel, Dhiren M. **3**, 159-174
PathStar™ Access Server: conclusions **4**, 99-101; future directions **4**, 98-99; general **4**, 89; introduction **4**, 86-89, sample configurations **4**, 98; software overview **4**, 93-98; system overview **4**, 89-93
PathStar™ Access Server: Facilitating Carrier-Scale Packet Telephony, The **4**, 9, 86-102
Pattern, "leaky bucket counter" **2**, 38
PC *see* Polycarbonate
PCR *see* Peak cell rate
PCR-based algorithm **4**, 249
PCT *see* Peripheral control and timing
PDH *see* Plesiochronous digital hierarchy
PDP *see* Product dismantling process
Peak cell rate (PCR) **4**, 180, 241
Peak-to-peak signal-to-noise ratio **3**, 28
Pentium* microprocessor **4**, 285
Pentium* processors **2**, 132
PEP *see* Protocol extensions protocol
Performance analysis **4**, 257, 260
Peripheral component interconnect (PCI) bus interface **2**, 137
Peripheral control and timing **2**, 104
Perl **1**, 10
Permanent virtual circuit (PVC) **2**, 97-98 **4**, 178, 256
Permanent virtual connection **i**, 88
Personal Access Communications System (PACS) **2**, 63
Personal Communications Industries Association **2**, 58
Personal communications services (PCS) **1**, 20-27, 30 **2**, 51 **3**, 30, 67, 79-81, 84-85, 90, 165
Personal communications services (PCS) and digital cellular voice networks, using data on: future work **2**, 73; handset hardware **2**, 67-69; handset software infrastructure of prototype **2**, 72-73; handset user interface **2**, 69-72; introduction **2**, 58-60; personal digital assistants (PDAs) **2**, 61-62; smart phones **2**, 60-61;

software choices **2**, 63-65; system architecture **2**, 66-67; user interface issues **2**, 65-66; wireless data service providers **2**, 62-63
Personal digital assistants (PDAs) **2**, 59-62, 65-70, 76, 91
Personal HandyPhone System **2**, 63
Personal wireless telecommunications (PWT) **1**, 19-27
PERT *see* Project Evaluation and Review Technique
Petri net **3**, 4
Philips Consumer Communications (PCC) **3**, 160, 174
Phoenix switch chip **3**, 119
Phones, cellular and cordless **3**, 159
Picocell base station **1**, 33
PIMS *see* Project Information Management Systems
Ping time **1**, 26
PINT *see* Public switched telephone network and IP Internetworking
Pixel domain **3**, 21
"Plain old telephone service" (POTS) **1**, 84 **3**, 100-101 **4**, 109, 129, 240
Platforming, impact of **1**, 131
Plesiochronous digital hierarchy (PDH) **1**, 39 **4**, 257
PMD *see* Polarization mode dispersion
PMOS *see* P-type metal-oxide semiconductor
Point-to-point configuration **2**, 128
Point-to-point protocol **1**, 24 **2**, 105 **3**, 87-92, 94 **4**, 51, 89, 91, 169, 255
Poisson **4**, 18, 19
Polarization mode dispersion (PMD) **1**, 46
Policy services **4**, 141
Polycarbonate (PC) **3**, 160
Polymorphism, service **3**, 102
Portable Video Research Group **3**, 26
POS *see* Packet over SONET
POST database information **3**, 9
POTS *see* "Plain old telephone service"
Practices, environmental design **2**, 111
Precedence effect **3**, 149
Premium private system services, wireless: rate discounts **1**, 30; wireless business services **1**, 30-32
Prestored maps **1**, 55
Price, John D. **4**, 10, 208-221
Primary rate interface (PRI) **1**, 21 **2**, 94-95, 98, 104-105 **4**, 107, 128, 129
Primary rate interface (PRI)-based VoD solution **4**, 127
Primavera Systems, Inc. **3**, 4, 6
Principle, single-channel acoustic echo cancellation **3**, 149
Printed wiring board (PWB) **1**, 123 **2**, 112, 113, 115 **3**, 164
Priority **4**, 142
Private branch exchange (PBX) **1**, 122 **2**, 95, 97, 104 **4**, 107, 187
Private branch exchange (PBX), wired **1**, 30, 36
Private network node interface **2**, 97
Private network-to-network interface **4**, 108, 166-167, 174, 178, 240, 241
Privileges (ADEPT): *create, delete, update, update feature* **3**, 8
Problem, graph restriction **3**, 6
Problems in DOLMEN **3**, 111
Process Meta Language **2**, 23, 25, 27
Process, TCL/TK GUI **4**, 25
Processing delay estimation **2**, 76-92
Product dismantling process (PDP) **2**, 110, 114
Product realization process (PRP) **2**, 109-110
Product upgradability **2**, 114
Product use process (PUP) **2**, 110, 113
Program, wrapper **2**, 39
Programmable optical add/drop **1**, 45
Programming languages: C, C++ **2**, 32, 33, 42 **3**, 7
Programs, *awk* **4**, 265
Project Evaluation and Review Technique (PERT) chart **3**, 4
Project Information Management Systems (PIMS) **3**, 9
Project Laser **1**, 122-132
ProLogix™ system **1**, 125
PROMELA *see* Process Meta Language
Propagation delay **2**, 38
Propagation delay categories, messages: on time, slightly late, late/lost, stale **2**, 38
Properties, safety **2**, 43
Protocol extensions protocol (PEP) **4**, 157
Protocol independent multicasting, sparse mode (PIM-sparse) **4**, 94
Protocol stacks, voice-over-Internet protocol (IP) **3**, 86-87
Protocols, Performance, and Controls for Voice over Wide Area Packet Networks **4**, 12, 297-337
Prototypes, cell phone: Falcon and Omaha **3**, 160
Prototypes, systems software design **2**, 22-31
Provider agent (PA) **3**, 112
Provisioned virtual path (PVP) **4**, 111
Proxim **1**, 19, 28
PRP *see* Product realization process
PRX-A® switch **2**, 113
Ptolemy **2**, 90, 92
PTT Telecom **2**, 109
P-type metal-oxide semiconductor **4**, 338
Public switched telephone network **1**, 37 **2**, 63, 67 **4**, 103, 108, 136, 178, 258, 299-304, 311-315, 317-318, 324
Public switched telephone network and Internet protocol Internetworking (PINT) working group **4**, 140, 155
Public system coverage, wireless services **1**, 30
Pulse code modulation (PCM) **2**, 81, 88, 104 **4**, 107
PUP *see* Product use process
Pure interchannel time difference **3**, 150
PVC *see* Permanent virtual circuit or permanent virtual connection
PVC trunking and SVC switching **4**, 178

Q

Q.2931 network layer protocol **2**, 97, 104
Q.931: call signaling protocol **3**, 89; general **2**, 36; network layer protocol **2**, 105
Q+ visual discrete-event simulation platform **4**, 240
QBS *see* Quality breakdown structure
QCIF *see* Quarter Common Intermediate Format
QFD *see* Quality function deployment
QoS and Differentiated Services in a Multiservice Network Environment **4**, 11, 222-239
QoS Routing and Performance in Packet Networks: A Visual Simulation Platform and Case Study **4**, 11, 240-254
QoS *see* Quality of service and QoS
QoS with Differentiated Services **4**, 8, 48-62
QPSK *see* Quadrature phase shift keying and quaternary phase shift keying
Quadrature phase shift keying **1**, 21-27
Quality breakdown structure (QBS) **3**, 5
Quality function deployment (QFD) **2**, 93, 98-102, 106-107
Quality of service **1**, 63-66, 81, 88 **2**, 76-92 **3**, 68-72, 77, 103 **4**, 16, 32-39, 43-45, 48-61, 65-66, 141, 144, 157, 161-175, 176, 193, 201, 218, 222-239, 240, 255, 334-335
Quality of service and differentiated services in a multiservice network environment: infrastructure options for a multiservice network **4**, 231-236; introduction **4**, 222-224; multiservice networks, a conceptual framework **4**, 224-231; summary and evolution **4**, 236-237
Quality of service categories, differentiated services: categories **4**, 48-49; implementation **4**, 50; other considerations **4**, 49-50
Quality of service requirements **4**, 298, 301, 305, 321-323, 325
Quality of service requirements, connection admission control (CAC) design for GlobeView®-2000 ATM core switch (ACS) **1**, 94-95, 97, 99, 102, 107-110
Quality of service (QoS) to cellular users **3**, 30, 48
Quality of service (QoS), status and future **4**, 60-61
Quality Team Excellence Award, AT&T Network Systems, 1994 **2**, 3
Quantization (Q) **3**, 22
Quarter Common Intermediate Format (QCIF) **3**, 21
Quaternary phase shift keying **3**, 73
Query, typical SQL **3**, 7
Qureshi, M. Akber **4**, 63-85

R

Radiant messaging development technology **2**, 131
Radio access technology: code division multiple access (CDMA) **1**, 30, 35; time division multiple access (TDMA) **1**, 30, 35
Radio base station technologies: distributed antenna **1**, 33; distributed radio **1**, 33
Radio controller (RC) **1**, 21
Radio frequency interference (RFI) **3**, 161
Radio link protocol **3**, 65, 71, 87, 90
Radio transmission technology (RTT) **3**, 63-78
Radio-frequency integrated circuits **3**, 121-123
RadioLAN **1**, 19, 28
Rake receiver **3**, 64
Ramakrishnan, K. G. **3**, 30-49 **4**, 8, 15-31
Ramesh, Nallepilli S. **3**, 63-78
Random early detection (RED) **4**, 40, 273-277, 280-281, 283-288, 290-294
Random model **1**, 115
Rattling **3**, 160
Raychaudhuri, Kamal K. **1**, 39-61
Raytheon E-Systems **1**, 135, 139
Reactive system **2**, 32
Real-time analysis engine (RAE), Sunrise system: distribution and parallelism **1**, 9-10; embedded services **1**, 8-9; general **1**, 3-11; memory store **1**, 8
Real-time applications, Sunrise system **1**, 3-18
Real-time control protocol (RTCP) **4**, 312
Real-time protocol (RTP) **2**, 78, 91 **4**, 90, 98, 108, 144, 148, 196, 227, 255, 312, 327, 329-330, 335
Real-time streaming protocol **4**, 151
Real-time transport control protocol (RTCP) **2**, 76-82
Recent Lucent Technologies Patents **1**, 147-158 **2**, 139-150 **3** 177-190 **4**, 340–351
Recursive least-squares (RLS) **3**, 153
Recyclability **2**, 114
Reduced instruction set computing (RISC) microprocessor **1**, 77
Reference architectures **3**, 126
Reference points **3**, 105
Refined uniform asymptotic approximations (RUAA) **4**, 19
Reflectance and transmittance, approximations of **1**, 115
Registration/administration/status protocol **4**, 9
Remote access server (RAS) **4**, 132
Remote access service (RAS) **4**, 201
Remote authentication dial-in user service (RADIUS) **4**, 134
Remote digital terminal (RDT) **1**, 84
Research and development (R&D) **1**, 122
Resource location **4**, 141
Resource reservation protocol **2**, 78, 91 **3**, 68 **4**, 8, 16, 37, 48, 50-53, 60, 98, 144, 167, 169, 223-224, 231-232, 234-236. 301, 335
Resource services **3**, 102
Resource suspension **2**, 36, 41
Restoration, optical network **1**, 54
Reusability **2**, 114
Reuse and recycling **2**, 109
Reuse groups, in wireless base stations **3**, 31, 34-36
Reverse engineering **2**, 40
RFI *see* Radio frequency interference
Riley, Patricia A. **2**, 93-108
Ring, backbone **1**, 53
RIP *see* Routing information protocol
RISC *see* Reduced instruction set computing
Rising, Linda S. **1**, 134-143
RLP *see* Radio link protocol
RLS *see* Recursive least-squares
Robbed-bit signaling **4**, 107
Rogers, Everett M. **3**, 10-12
Role of intelligent networking in Internet access **4**, 132
Root cause analysis, 5ESS® switching system software **2**, 3-21
RopeSIM *see* Routing Performance Simulator
Rosenberg, Jonathan D. **4**, 10, 144-160
Rosinski, John J. **1**, 122-133
Rouse, David M. **4**, 103-123
Route caching **4**, 249
Router: Dragone **1**, 44; optical waveguide **1**, 43
Routers, smart **4**, 256
Routes **4**, 28
Routing **1**, 64-65, 67-70, 72-77, 79
Routing information protocol (RIP) **4**, 54, 94, 173
Routing Performance Simulator (RopeSIM) **4**, 240, 241
Routing: based on a customer's ISP service profile **4**, 134; hop-by-hop **4**, 242
RS232 **1**, 21-27 **2**, 125
RUAA *see* Refined uniform asymptotic approximations

S

SAC *see* Synchronous transfer mode (STM)-to-asynchronous transfer mode (ATM) converter
SAC *see* Synchronous-to-asynchronous conversion
SAE *see* Service authoring environment
Safety properties **2**, 43
Sanakkayala, Bhaskar N. **2**, 124-135
Sandoz, James D. **4**, 9, 86-102
SAP *see* Service access point
SAPI *see* Software Application Programming Interface
SAR *see* Segmentation and reassembly
Scalability **3**, 108, 113
Scalable architecture **3**, 105
Scalable Call Processing Architectures for ATM Switches **1**, 62-80
SCH *see* Supplemental channel
Scheduler **2**, 34
Scheduling intervals **2**, 37
Scheduling, high-tech study groups **1**, 134, 136, 138-142
Schultz, Thomas A. **3**, 3-9
Schulzrinne, Henning G. **4**, 10, 144-160
SDK *see* Software developers kit
SDP *see* Session description protocol
SDT *see* Structured data transfer
Seamless packet data handoffs in third-generation networks **3**, 79-80, 82-84, 95
Search algorithm **2**, 35
Secure Internet protocol **4**, 165-166
Secure tunneling **4**, 165-166
Segmentation and reassembly **4**, 182
Selected ATM PNNI routing issues and results **4**, 246
Selective layered bandwidth management (SLBM) **4**, 64
Sensitivity analysis **4**, 257, 260
Service access point (SAP) **4**, 182
Service authoring environment (SAE), Sunrise system: authoring input and output streams **1**, 14-16; authoring tables **1**, 11-12; authoring transaction-processing logic **1**, 12-13; general **1**, 3-6, 9-10, 16; safety and complexity **1**, 11; services **1**, 13; subscription model **1**, 13-14
Service authoring language (SAL), Sunrise system **1**, 6, 10-13, 15-16
Service control point **4**, 117, 126, 186
Service creation environment **4**, 126
Service factory (SF) **3**, 108
Service location **4**, 141
Service Management System **4**, 126
Service networks: general **3**, 101; services contained in **3**, 102
Service node (SN) **4**, 129
Service order entry system **2**, 24-26
Service polymorphism **3**, 102
Service provider: domain **3**, 105; essential components **3**, 104; wireless **1**, 30-38
Service requirements: data **4**, 258; general **4**, 257; voice **4**, 258
Service session manager (SSM) **3**, 108
Service session User APlication **3**, 109
Service-Centric Networks **3**, 98-115
Service-level agreement (SLA) **4**, 4, 10, 11, 15
Services framework **3**, 108
Services: differentiated **4**, 163, 167-168; guaranteed, predictive, and best-effort **4**, 240
Service-specific connection-oriented protocol (SSCOP) **4**, 183
Service-specific convergence sublayer (SSCS) **4**, 183
Session description protocol (SDP) **4**, 148, 313, 334
Session initiation protocol: client services **4**, 155; conclusion **4**, 158; general **4**, 9, 109, 141, 144-159, 197-199, 201; key benefits **4**, 155-158; introduction **4**, 144-146; network services **4**, 151-155; overview **4**, 146-151
Session Initiation Protocol: Providing

Advanced Telephony Services Across the Internet, The **4**, 10, 144-160
Session types **3**, 106
SETT *see* Software Engineering Transition Team
Set-top boxes **3**, 101
SF *see* Service factory
SGCP *see* Simple gateway control protocol
SGML *see* Standard Graphic Markup Language
Siepman, Bradford R. **1**, 122-133
Signaling message processing **1**, 63, 72
Signaling System 7 (SS7) **1**, 37 **2**, 98 **4**, 97-99, 125, 178, 196, 261, 305-311, 313, 317
Signaling: agent **1**, 79; asynchronous transfer mode (ATM) system **1**, 65; distributed architecture **1**, 64, 72, 75; egress **1**, 69, 72; entity **1**, 66; general **1**, 63-64, 70, 77; ingress **1**, 68, 70-71; messages **1**, 63, 66, 70-73, 75; peer **1**, 71; primitives **1**, 72; protocols **1**, 65; protocol stacks **1**, 66, 68, 72, 74, 79; software **1**, 66; tasks **1**, 79
Signaling: Internet telephony **4**, 145; robbed-bit **4**, 107
Signal-to-noise (S/N) **1**, 41
Sijben, Paul G. A. **3**, 98-115 **4**, 10, 192-207
Silberschatz, Avi **1**, 3-18
Silence removal **4**, 178, 179
Simmons, Michael R. **1**, 30-38
Simple gateway control protocol **4**, 116
Simple mail transfer protocol (SMTP) **4**, 146, 149, 151, 156-158
Simple message transfer protocol/multipurpose Internet mail extensions (SMTP/MIME) **2**, 124, 134
Simple network management protocol **2**, 131 **4**, 96, 117, 209, 213-216, 219
Simple network management protocol-based management framework **4**, 213, 215-216, 219
Single-channel acoustic echo cancellation principle **3**, 149
Single-mode lasers, distributed feedback, types **1**, 47
SIP *see* Session initiation protocol
SLA-centric **4**, 30
Slip **3**, 167, 168
Smart routers **4**, 256
Smith, Margaret H. **2**, 22-31
SNCP *see* Subnetwork connection protection
Social lifetime **2**, 114
SOE *see* Service order entry system
Software Application Programming Interface **3**, 176
Software architectural view, solution: architectural alternatives **3**, 131-133; DirSA solution **3**, 133-134; enterprise communication systems (ECS) architectural framework **3**, 130-131; GARM-ASPECT, applying **3**, 134-136
Software architecture technology: architectural view, solution **3**, 130-136; directory project, introduction **3**, 129-130; directory standards **3**, 130; GARM-ASPECT method, introduction **3**, 127-129; software architecture, introduction **3**, 125-127; summary and outlook **3**, 136-137
Software architecture, engineering and representation **3**, 125-137
Software design prototypes **2**, 22-31
Software developers kit **3**, 176
Software development **3**, 10-20
Software Engineering Transition Team (SETT) **3**, 12-13
Software fault prevention approach **2**, 3-21
Software Fault Prevention Approach in Coding and Root Cause Analysis, A **2**, 3-21
Software faults, 5ESS® switching system **2**, 3-21
Software system construction, architecture based **3**, 125-137
Software verification tools **2**, 22-31
Solder joint technology **3**, 118-123
Sondhi, Mohan M. **3**, 148-158
Sorensen, Henrik V. **4**, 103-123
Source nodes **4**, 243
Source routing **4**, 242
Sources and detectors, optical **1**, 47
Spatial light modulator (SLM) **1**, 57
Specification file, algorithmic parameter **4**, 25
Specification-based testing frameworks for reactive programs **2**, 44
Spectrum efficiency, in high-speed data cellular services **3**, 30-48
Speech recognition **2**, 65
Spergel, Louise F. A. **4**, 10, 192-207
SPIN model checking system **2**, 22-31
Sreenan, Cormac J. **1**, 19-29
Srinivas, Tanjore K. **4**, 10, 208-221
Sriram, Kotikalapudi **4**, 297-337
SRTS *see* Synchronous residual time stamp
SS7-based VoD solutions **4**, 128
SSCOP *see* Service-specific connection-oriented protocol
SSCS *see* Service-specific convergence sublayer
SSM *see* Service session manager
SSP *see* Switching service point
ssUAP *see* Service session User APplication
Stages, product dismantling and product realization **2**, 111
Stanaway, John J., Jr. **3**, 98-115 4, 10, 124-143
Standard Components Graph Library **4**, 244
Standard Graphic Markup Language (SGML) **3**, 8
Standard-cell logic **2**, 137
Standardization activities, Lucent Technologies, **3**, 50
Stanford University **3**, 26
Star network topology **2**, 124
State space: exploration **2**, 32; exploration in VeriSoft **2**, 34
Static analysis techniques **2**, 43
Static random access memory (SRAM) **2**, 137 **3**, 120
Statistics, in-band and out-of-band **1**, 115
Steel-safe **3**, 160, 164, 173
Step-stress experiment **3**, 55-59
Stereo acoustic echo cancellation **3**, 151
Stereo sound, interchannel and interaural differences **3**, 149
Stiliadis, Dimitrios **4**, 32-47
STM-to-ATM converter (SAC) **1**, 86
Store-and-forward "post office" model **2**, 126
Strategy for Extrapolation in Accelerated Testing, A **3**, 52-60
Structured data transfer (SDT) **4**, 180
Structured Query Language **2**, 51 **3**, 3
Structures, synchronous digital hierarchical (SDH) tributary **1**, 82
STS-1 **4**, 114
STS-1 *see* Synchronous transfer signal-1
Studies, VTOA **4**, 264
Study Groups **4**, 184
Study groups, high-tech learning environment **1**, 134-142
STYX® protocol **2**, 64 4, 95, 96
Sublayers of AAL-2 **4**, 183
Sub-micron-sized particles: analyzation **3**, 175; detection **3**, 175
Subnetwork connection protection **1**, 89
Subsystems (ADEPT) **3**, 8-9
Successful Introduction of Domain Engineering into Software Development **3**, 10-20
Sun* Ultra-1 workstation **2**, 89-90
Sunrise system: conclusion **1**, 16-17; general **1**, 3-18; introduction **1**, 3-4; overview **1**, 4-8; real-time analysis engine (RAE) **1**, 8-10; service authoring environment **1**, 10-16
Sunrise: A Real-Time Event-Processing System **1**, 3-18
SUPERCOMM **1**, 55
Supplemental channel **3**, 72, 76-77
Supplier environmental statement **2**, 115
Supply line **2**, 109
Support services **3**, 102
Surface-mount components **3**, 161
Surface-mounted device (SMD) **1**, 123
SWAN **1**, 19
Switched concentration **4**, 178
Switched virtual channel (SVC) **4**, 112, 178, 256
Switched virtual circuit (SVC) **2**, 97-98
Switched virtual connection (SVC) **1**, 88
Switched virtual path (SVP) **4**, 111
Switching and Access Solutions Group **3**, 10
Switching module (SM) **2**, 103-104
Switching service point (SSP) **4**, 126
Switching Systems Business Unit **2**, 3
Switching: capacity **1**, 63, 69, 77; environment **1**, 74; fabric **1**, 63, 69, 71, 77, 79; hardware **1**, 70, 79; packet

technology **1**, 66; system **1**, 66-67, 73; typical system **1**, 64
Synchronous digital hierarchy (SDH): general **3**, 101 **4**, 42-43, 64-66, 68-70, 75, 257; technology **4**, 212
Synchronous optical network **1**, 39, 47 **2**, 137 **3**, 101 **4**, 35, 42-43, 63-66, 68-71, 73-75, 77, 80-82, 109, 169, 174, 176, 257, 292
Synchronous residual time stamp **4**, 180
Synchronous transfer mode **1**, 81 **3**, 101
Synchronous transfer mode-asynchronous transfer mode interface **4**, 297-337
Synchronous transfer mode-to-asynchronous transfer mode converter **1**, 86
Synchronous transfer signal-1 **1**, 52 **2**, 104
Synchronous-to-asynchronous conversion (SAC) **4**, 113, 261
Synthesized Stereo Combined with Acoustic Echo Cancellation for Desktop Conferencing **3**, 148-158
System approach, manufacturing **1**, 127
System design prototypes **2**, 22-31
Systematic Software Testing Using VeriSoft—An Analysis of the 4ESS (Heart-Beat Monitor **2**, 32-46
Systems network architecture (SNA) **4**, 84, 164-165

T

T1 **4**, 187
T3 **4**, 265
TACS *see* Total Access Communication System
Tag switching, Cisco **4**, 232
Tai, King L. **3**, 116-124
TALISMAN: general **4**, 28; master process **4**, 25; modeling language (TML) **4**, 24
Tandem switch **4**, 267
Tang, Benjamin Y. C. **4**, 12, 255-272
TCAP *see* Transaction capabilities application part
Tcl/Tk graphical user interface **2**, 47-50, 53-57
TCL/TK GUI process **4**, 25
TCSM *see* Terminal communications session manager
TDD *see* Time division duplex
TDM network architecture **4**, 261
Technical lifetime **2**, 114
Technology, low power **2**, 122
Telecommunications and Internet protocol harmonization over network (TIPHON) **4**, 109, 141, 198
Telecommunications Industry Association (TIA) **3**, 63-64, 67-68
Telecommunications Industry Association/Electronic Industries Association-95-B (TIA/EIA-95-B) standard **3**, 64, 68-69, 71-72, 78
Telecommunications Information Networking Architecture (TINA): architecture **3**, 104; framework **3**, 108; general **3**, 98, 104 **4**, 198-201; node **3**, 105; pros and cons of **3**, 113; stakeholders **3**, 105
Telecommunications Information Networking Architecture Consortium (TINA-C) **4**, 10, 213
Telecommunications management network (TMN) **4**, 10, 113, 208, 210-211, 213-215, 219
Telecommunications pricing plan, The Most* **1**, 5
Telephone circuit **1**, 125
Telnet protocol **4**, 37, 276
TEM *see* Transverse electromagnetic
Terminal communications session manager (TCSM) **3**, 109, 113
Terminal QoS of Adaptive Applications **2**, 76-92
Testing, accelerated **3**, 52-60
Testing, printed wiring board (PWB) assembly **1**, 126
TEW *see* Text entry widget
Text entry widget (TEW), wireless handset **2**, 71, 73
Text-to-speech synthesis **3**, 175
The Most* telecommunications pricing plan **1**, 5
Thermal expansion coefficient **2**, 137
Third-generation (3G) mobile telecommunications **3**, 50-62
Third-generation mobile telecommunications and virtual home environment: introduction **3**, 50; third-generation mobile telecommunications **3**, 50-51; VHE **3**, 54-56; VHE selection analysis **3**, 56-62
Third-generation mobile telecommunications equipment, Lucent Technologies product plan **3**, 62
Third-generation mobile telecommunications: IMT-2000 family of systems concept **3**, 51-53; IMT-2000 global roaming and interconnection **3**, 53-54; IMT-2000 global roaming service model **3**, 54; IMT-2000 interface system **3**, 51
Third-generation network design guidelines **3**, 82, 83, 88-89, 90, 95
Third-generation network-to-network interface (NNI) **3**, 80, 82
Third-generation wireless systems **3**, 79-96
Third-Generation Mobile Telecommunications and Virtual Home Environment: A Prioritization Analysis **3**, 50-62
Third-generation/IMT-2000 systems **3**, 95
Third-party needs **3**, 104
Through-wavelengths **1**, 46
TIA *see* Telecommunications Industry Association
TIA/EIA-95-B standard *see* Telecommunications Industry Association/Electronic Industries Association-95-B standard
Time division duplex (TDD) **1**, 21-27
Time division multiple access: general **1**, 21-27 **3**, 63, 161; radio access technology **1**, 30, 35; technology, IS-136 **2**, 58, 63
Time division multiplexing **1**, 39 **2**, 95 **4**, 105, 178, 240, 256, 269
Time multiplexed switch (TMS) **2**, 104
Time slot interchange (TSI) **2**, 104
TINA *see* Telecommunications Information Networking Architecture
TINA-C *see* Telecommunications Information Networking Architecture Consortium
TIPHON *see* Telecommunications and Internet protocol harmonization over network
TML *see* TALISMAN modeling language
TMN *see* Telecommunications management network
TOBIC imaging *see* Two-photon optical beam induced current imaging
Today's networks, forces of change on: convulsive markets **4**, 5–6; disruptive technologies **4**, 5; network convergence and collaboration **4**, 4–5
Toeplitz autocorrelation matrix **3**, 153
Tools for fault detection, model checking, software verification **2**, 22-31
Tools, network and migration **2**, 134
Topologies, network **2**, 126
Torabi, Mohammad **3**, 50-62
Total Access Communication System (TACS) **3**, 63
Toward QoS-Capable Virtual Private Networks **4**, 10, 161-175
Traffic intensity matrix **4**, 27, 28
Traffic model, in cellular carrier allocation **3**, 39
Training, high-tech learning environment **1**, 134, 137-142
Training, new model for high-tech learning environment: introduction **1**, 134-135; lessons learned **1**, 140-141; objective results **1**, 141-142; quality and productivity, company's viewpoint **1**, 139-140; quality and productivity, learner's viewpoint **1**, 137-139; study group meeting format **1**, 136-137; study group, setting up a **1**, 135-136; summary **1**, 142
Transaction capabilities application part (TCAP) **2**, 98, 105 **4**, 117, 130
Transistor, microscopic images of electrical forces inside **4**, 338–339
Transition **2**, 34
Transitive closure **3**, 6
Transmission control protocol **3**, 85, 89 **4**, 54, 146, 222-223, 227, 231
Transmission control protocol/Internet protocol **1**, 15, 24, 107-108 **2**, 60, 73, 125-129, 133 **4**, 86, 89, 95, 130, 176, 321
Transmission formats, ITU-T: G.711, G.723.1, G.729A, T.30, T.37, T.38, V.17, V.21, V.22, V.22bis, V.27ter, V.29, V.32, V.32bis, V.32ter, V.34, V.90 **4**, 108
Transmission, connection-oriented and connectionless **3**, 100
Transport control protocol **4**, 34, 37, 39-42, 273-277, 281, 288, 292-294

Transport: hybrid **1**, 85; network evolution scenarios toward ATM **1**, 81; pure ATM **1**, 86
Transverse electromagnetic (TEM) **1**, 114
Trotter, John A. **1**, 19-29
Trunk reservation scheme **4**, 250
Trunk-to-trunk protocol (TTP) **4**, 97-98
TSI *see* Time slot interchange
Tunneling, secure **4**, 165-166
Two-channel affine projection algorithm **3**, 153
Two-photon laser scanning microscopy **1**, 145
Two-photon optical beam induced current imaging (TOBIC) **1**, 145

U

UAA *see* Uniform asymptotic approximations
uBET *see* Lucent Behavior Analysis Toolset and uBet
uBet toolset, used with ArchE editor to evaluate behavioral specifications captured in message sequence charts **3**, 127-128
Ultra-cross connect (UXC) **4**, 70
UltraSPARC*: processor **1**, 16; workstation **2**, 41
Unicast **4**, 52, 61
Uniform asymptotic approximations (UAA) **4**, 17
UNIPEN database **2**, 72
Universal Premises Access to Voice Band and ATM Networks Using a Broadband Interworking Gateway **2**, 93-108
Universal resource locators (URLs), for the World Wide Web **2**, 72
UNIX* *cron* job **3**, 9
UNIX* operating system: general **1**, 24 **2**, 73, 132, 133 **4**, 15, 24, 25, 30, 117, 121; workstation **2**, 43
UP.Link*: platform **2**, 63-64; Web browser **2**, 61, 63-64
UP.Mail*, for e-mail **2**, 64
Upasani, Sanjay S. **3**, 159-174
URL *see* Universal resource locator
USENET **2**, 59
User agent (UA) **3**, 112
User data protocol/Internet protocol (UDP/IP) header compression **3**, 89-91, 93-95
User data protocol/Internet protocol (UDP/IP) header compression, deep **3**, 79-80, 88-95
User data protocol/Internet protocol/ point-to-point protocol headers **3**, 88, 92
User datagram protocol (UDP) **3**, 85, 87-95 **4**, 34, 39, 44, 54, 98, 146, 157, 222, 227, 231, 255, 274-276, 312, 327, 330, 333-335
User datagram protocol/Internet protocol (UDP/IP) **4**, 108
User location **4**, 141
User network interface (UNI) **2**, 97, 104
User service session manager **3**, 108
User-to-network interface (UNI) signaling **4**, 45, 178
Using Data on Digital Cellular and PCS Voice Networks **2**, 58-75
USM *see* User service session manager
UXC *see* Ultra-cross connect

V

V.34 communications protocol **2**, 94
Van Jacobson transmission control protocol/Internet protocol (TCP/IP) header compression **3**, 89, 92
Variable bit rate (VBR) **4**, 258
Variable bit rate real time (VBR-rt) **4**, 258
Variable length encoder (VLE) **2**, 81, 87
Variable-length coding (VLC) **3**, 22
Variable-length decoding (VLD) **3**, 22
Variables, Boolean **2**, 41
VCDX *see* Very compact digital exchange
Vehicular-A channel model **3**, 74
Velo* 1 hand-held PC **2**, 62
Venkateswaran, Ramanathan **4**, 11, 222-239
VeriSoft **2**, 32-46
Very compact digital exchange **2**, 103-104
Very large-scale integration (VLSI) **3**, 116-124
VG *see* Voice gateway
Via switch **4**, 109
vic framework for packet video **2**, 87, 91
Video sequences, "Akiyo" and "Miss America" **3**, 26, 28
Violated assertion **2**, 34
Virtual channel (VC) **4**, 111
Virtual channel connection (VCC) **4**, 181
Virtual circuit (VC) **1**, 83
Virtual home environment (VHE) general **3**, 50-62
Virtual home environment (VHE) implementation scenarios: signal flow comparison **3**, 59; standardization, comparison of impacts **3**, 60; ranking methods, combination **3**, 61; types **3**, 55-56; variations in procedures **3**, 58; 54-62
Virtual home environment (VHE) selection analysis: combination of comparisons **3**, 61-62; comparison of standardization efforts **3**, 61; VHE signaling flow comparison **3**, 57-61
Virtual local area network **4**, 163-165
Virtual path (VP) **1**, 81 **4**, 111
Virtual path cross-connect system **1**, 88
Virtual path group (VPG) **1**, 90
Virtual path identifier (VPI) **1**, 89
Virtual private network design problem: algorithm for **4**, 21; algorithm structure **4**, 23; description **4**, 21; general **4**, 15, 16; initialization **4**, 23; mathematical basis of algorithm **4**, 21; pseudocode of the algorithm for **4**, 23
Virtual private network DESIGNER modeling language **4**, 24
Virtual private network DESIGNER: design results **4**, 28; general **4**, 15-31; infrastructure, services, and VPN traffic **4**, 26; model and problem formulation **4**, 17; network analysis and asymptotic theory **4**, 19; network implied costs **4**, 20; other results **4**, 28; revenue sensitivity to link capacity **4**, 21; RUAA in implied costs **4**, 21; single link asymptotics **4**, 20; software architecture of **4**, 24
Virtual private network intranet applications **4**, 222
Virtual private network: definition **4**, 161-163; general **4**, 15, 32-33, 103, 124, 241, 273; implementation **4**, 163-166; introduction to IP QoS **4**, 166-169; QoS-capable VPNs **4**, 169-175
Visible operations **2**, 34
Visual interfaces, network, constructing interactive: basic network views **2**, 54-56; conclusions **2**, 56; introduction **2**, 47-48; network base class **2**, 51-53; network data **2**, 50-51; system overview **2**, 48-50; Tcl/Tk graphical user interface **2**, 53-54
VLAN *see* Virtual local area network
VLD *see* Variable-length decoding
VLE *see* Variable length encoder
VML *see* VPN DESIGNER modeling language
VMS *see* Voice messaging system
Voice and Multiservice Network Design over ATM and IP Networks **4**, 12, 255-272
Voice and multiservice network designs, analysis of **4**, 264
Voice and telephony over ATM (VTOA) **4**, 176, 256
Voice band networks **2**, 93-108
Voice compression **4**, 178
Voice gateway (VG) **4**, 105, 109
Voice messaging system (VMS) **2**, 24-26
Voice over ATM **4**, 176-191
Voice over ATM: ATM Forum implementation agreements **4**, 178; bearer channel interworking **4**, 178; carrier networks **4**, 185; enterprise applications **4**, 187; enterprise networks **4**, 188; network design examples **4**, 264; signaling interworking **4**, 178; technology and standards **4**, 177; technology background **4**, 177
Voice over ATM-based networks **4**, 106
Voice over data (VoD) **4**, 126
Voice over data (VoD) technology: in the IXC **4**, 130; in the local office **4**, 128
Voice over Internet protocol (VoIP) **4**, 86, 89-90, 108, 139, 176, 192-207, 258
Voice over IP-based networks **4**, 108
Voice over packet-based networks **4**, 103
Voice over PacketStar™ Gateway Solution for Service Provider Networks **4**, 9, 103-123
Voice over TDM networks **4**, 184, 187
Voice over wide area packet networks **4**, 297-337
Voice over wide area packet networks: alternatives for long distance over

ATM **4**, 305-310; architectures and protocols for voice over IP **4**, 311-325; conclusions **4**, 335; introduction **4**, 297-301; long distance voice service and performance requirements **4**, 301-305; performance and bandwidth efficiency **4**, 325-335
Voice Profile for Internet Mail (VPIM) **2**, 124, 127, 130, 134
Voice Services in Next-Generation Networks: The Evolution of the Intelligent Network and Its Role in Generating New Revenue Opportunities **4**, 10, 124-143
Voice traffic demands **4**, 258
Voice transmission over ATM **4**, 107
Voice-over-Internet protocol (IP) using IS-136 TDMA, case study 2, analysis with optimistic assumptions **3**, 93-94
Voice-over-Internet protocol using IS-95 CDMA, case study 1: analysis with optimistic assumptions **3**, 90-91; header compression in the 3G link access control layer **3**, 91-92; IS-95 radio link protocol traffic frame **3**, 90
Voice-over-Internet protocol (IP) versus circuit-based telephony **3**, 79
Voice-over-Internet protocol (IP), wireless **3**, 79-87, 89-90, 92-95
Voice-over-network (VON) **4**, 103
VON *see* Voice-over-network
VPG *see* Virtual path group
VPIM *see* Voice Profile for Internet Mail
VPN DESIGNER: A Tool for Design of Multiserivce Virtual Private Networks **4**, 8, 15-31
VPX *see* Virtual path cross-connect system
VTOA *see* Voice and telephony over ATM

W

W8N network **4**, 248
WAIS *see* Wide area information server
Walsh codes **3**, 73
WAN *see* Wide area network
Wang, Jin **3**, 79-97
Wang, Yung-Terng **4**, 240-254, 297-337
Warm start **4**, 25
WATMNet* **1**, 19, 28
Watson, Jack E. **1**, 134-143
Wave division multiplexing (WDM) components **2**, 137
WaveLAN® system **1**, 19, 27
Wavelength division multiplexing (WDM): description **1**, 112; employing **1**, 39; general **1**, 43 **4**, 74, 121, 169, 174
WaveStar™ bandwidth manager **4**, 68
WB-DACS *see* Wideband-Digital Access and Cross-Connect System
WBS *see* Work breakdown structure
Web **4**, 25, 124
Web browsing: general **2**, 59-60; in high-speed data wireless networks **3**, 30-49
Web-based Instruction study group **1**, 142
Web-based provisioning and information retrieval **4**, 138
Weidlich, Lind E. **2**, 44
Weighted fair queuing (WFQ) **4**, 16, 273-277, 280-281, 283-288, 290-292
Weiss, David M. **3**, 11-12, 18
Weiss, Walter **4**, 8, 48-62
WFB *see* Wireless fixed base
WFQ *see* Weighted fair queuing
Whang, Kevin K. **4**, 9, 103-123
What you see/simulate is what you get (WYSIWYG) **2**, 43
Whiplash, antenna **3**, 165, 173
Whiting, Philip A. **3**, 30-49
Wide area information server **2**, 59
Wide area network (WAN) **4**, 189, 255
Wideband-Digital Access and Cross-Connect System (WB-DACS) **1**, 87
Wiener-Hopf equation **3**, 152
Windows* **1**, 24
Windows* CE operating system **2**, 62, 65
Wink engine **2**, 65
Winterbottom, Philip **4**, 9, 86-102
Wired private branch exchange (PBX) **1**, 30, 36
Wireless base station frequency reuse plan **3**, 48
Wireless base station reuse groups **3**, 31, 34-36
Wireless business services: benefits to wireless service provider **1**, 32; service characteristics **1**, 31-32
Wireless data service providers **2**, 62-63
Wireless fixed base (WFB) **1**, 21-27
Wireless handset hardware: alternative design **2**, 69; audio **2**, 68-69; liquid crystal display (LCD) screens **2**, 68; other hardware **2**, 69; personal digital assistant (PDA) operation **2**, 68; telephone operation **2**, 67-68
Wireless handset software infrastructure: GEOS* operating system **2**, 64-65; Inferno™ operating system **2**, 64; Java* programming language **2**, 64; UP.Link platform **2**, 64; Windows* CE **2**, 65; Wink engine **2**, 65
Wireless handset system architecture: access to the wired data network **2**, 67; applications **2**, 66-67; local versus remote data **2**, 67
Wireless handset user interface issues: audio feedback **2**, 66; input devices **2**, 65-66; visual display **2**, 66
Wireless handset user interface: biometric authentication **2**, 71-72; handwriting capture widget **2**, 70-71; handwriting recognizer **2**, 72; text entry widget **2**, 71
Wireless handsets, supporting voice and data services **2**, 58-75
Wireless In-Building Services and Architectures **1**, 30-38
Wireless in-building services and architectures: in-building wireless markets **1**, 30-31; in-building wireless systems **1**, 32-37; introduction **1**, 30; wireless business services **1**, 31-32
Wireless multimedia-over-Internet protocol (IP) **3**, 79-80, 82-83, 87, 89-90, 92, 95
Wireless networks **3**, 63-78
Wireless networks, dynamic bandwidth allocation algorithm for high-speed data: centralized carrier allocation **3**, 36-38; complexity **3**, 38-39; conclusions **3**, 48; distributed carrier assignment **3**, 34-36; introduction **3**, 30-32; model description **3**, 32-33; preliminaries **3**, 33-34; simulation experiments **3**, 39-48
Wireless networks, high-speed data, for bandwidth allocation algorithms, dynamic **3**, 30-49
Wireless networks, next-generation **3**, 30-49
Wireless networks, resource allocation strategies for high-speed data **3**, 30-49
Wireless premium private system services, **1**, 30
Wireless service **2**, 24-26
Wireless service providers **1**, 30-38
Wireless service providers, AMPS/PCS **3**, 85
Wireless systems, in-building: digital air interface technologies **1**, 35; radio base station characteristics **1**, 32-35; switching and network architecture **1**, 35-37
Wireless voice-over-Internet protocol **3**, 79-87, 89-90, 92-95
Wireless voice-over-Internet protocol and implications for third-generation network design: case study 1, IS-95 CDMA **3**, 87-92; case study 2, IS-136 TDMA **3**, 92-94; conclusions **3**, 95-96; economics of licensed radio-frequency spectrum and voice-over-IP protocol stacks **3**, 84-87; introduction **3**, 79-80; requirements for business-grade-quality voice **3**, 81-84; summary of case studies and implications for 3G network design **3**, 94-95; two models of wireless voice-over-IP **3**, 80-81
Wireless voice-over-Internet protocol models: last-hop voice-over-IP **3**, 80-81; packet-mode voice **3**, 80-81
Wireless Voice-over-IP and Implications for Third-Generation Network Design **3**, 79-97
Wong, Albert K. **1**, 94-111
Work breakdown structure (WBS) **3**, 4
Workstation, UNIX* **2**, 43
World Wide Web **1**, 19 **2**, 47, 59 **3**, 113
World Wide Web *see also* Web
Wrapper program **2**, 39
WYSIWYG *see* "What you see/simulate is what you get"

XYZ

Xin, Zhi-Lei **4**, 240-254
Yahoo!* search engine **2**, 59
Yang, Kyeong Ho **3**, 21-29
Yu, Weider D. **2**, 3-21
Yue, On-Ching **4**, 297-337
Zhu, Wenwu **3**, 21-29
Zirconium tungstate **2**, 137
ZrW_2O_8 *see* Zirconium tungstate
Zurawski, Robert J. **2**, 93-108